

Zorgol 8 10730

Version / Revision3.01Revision Date02-Jun-2023Supersedes Version3.00***Issuing date02-Jun-2023

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier

Identification of the substance/preparation

Zorgol 8

Chemical Name

1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues 68609-68-7

CAS-No EC No.

271-832-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance /

Preparation

Intermediate.

Uses advised against N

None***

1.3. Details of the supplier of the safety data sheet

Company/Undertaking

Identification

OQ Chemicals GmbH Rheinpromenade 4A D-40789 Monheim

Germany

Product Information

Product Stewardship FAX: +49 (0)208 693 2053 email: sc.psq@oq.com

1.4. Emergency telephone number

Emergency telephone number +44 (0) 1235 239 670 (UK) available 24/7

NCEC +1 202 464 2554 available 24/7

Local emergency telephone

number

+61 2 8014 4558 (Australia)

18000 74234 (Australia toll-free number)

+64 9 929 1483 (New Zealand)

0800 446 881 (New Zealand toll-free number)

+65 3158 1195 (Sri Lanka)

007 803 011 0293 (Indonesia toll-free number)

+60 3 6207 4347 (Malaysia)

001 800 120 666 751 (Thailand toll-free number)

+65 3158 1200 (Bangladesh) +63 2 8231 2149 (Philippines) +84 28 4458 2388 (Vietnam) +65 3165 2217 (Singapore)

available 24/7

SECTION 2: Hazards identification



Zorgol 8 10730

Version / Revision

3.01

Europe

2.1. Classification of the substance or mixture

This substance is classified based on Directive 1272/2008/EC and its amendments (CLP Regulation)

Skin corrosion/irritation Category 2, H315 Environmental hazard Aquatic Chronic 3; H412

Additional information

For full text of Hazard- and EU Hazard-statements see SECTION 16.

2.2. Label elements

Labelling according to Regulation 1272/2008/EC and its amendments (CLP Regulation).

Hazard pictograms



Hazard statements H315: Causes skin irritation.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statements P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P332 + P313: If skin irritation occurs: Get medical advice/ attention. P501: Dispose of contents/container in accordance with local regulation.

2.3. Other hazards

None known

PBT and vPvB assessment This substance is not considered to be persistent, bioaccumulating nor toxic

(PBT), nor very persistent nor very bioaccumulating (vPvB)***

USA

2.1. Classification of the substance or mixture

This substance is classified in accordance with paragraph (d) of §1910.1200 (GHS-US classification).

Skin corrosion/irritation Category 2, H315

Environmental hazard Aquatic Acute 3; H402; Aquatic Chronic 3; H412

OSHA Specified Hazards Not applicable.



Zorgol 8 10730

Version / Revision

3.01

2.2. Label elements

Labeling according to §1910.1200 (GHS-US labeling).

Hazard symbol(s)



Signal word Warning

Hazard statements H315: Causes skin irritation.

H402: Harmful to aquatic life

H412: Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention P264: Wash hands thoroughly after handling.

P280: Wear protective gloves.

P273: Avoid release to the environment.

Response P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water or shower.

P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting.

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P310: Immediately call a POISON CENTER/doctor.***

Storage P405: Store locked up.***

Disposal P501: Dispose of contents/container in accordance with local regulation.

2.3. Other hazards

None known

SECTION 3: Composition / information on ingredients

3.1. Substances

Component	CAS-No	REACh-No	1272/2008/EC	Concentration (%)
1-Hexanol, 2-ethyl-,	68609-68-7	01-2119485030-49	Skin Irrit. 2; H315	100
manufacture of, by-products			Aquatic Chronic 3;	
from, distillation residues			H412	



Zorgol 8 10730

Version / Revision

3.01

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

Eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Obtain medical attention.

Skin

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

Ingestion

Do not induce vomiting without medical advice. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Main symptoms

shortness of breath.

Special hazard

Lung oedema, Lung irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically. In case of lung irritation, first treatment with cortisone spray.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water spray

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of: carbon monoxide (CO)

carbon dioxide (CO2)

Combustion gases of organic materials must in principle be graded as inhalation poisons

Vapours are heavier than air and may spread along floors

Vapour/air-mixtures are explosive at intense warming***

5.3. Advice for firefighters



Zorgol 8 10730

Version / Revision

3.01

Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

Precautions for firefighting

Cool containers / tanks with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike and collect water used to fight fire. Water run-off can cause environmental damage. Keep people away from and upwind of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition. For emergency responders: Personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant). Water runoff can cause environmental damage.

6.3. Methods and material for containment and cleaning up

Methods for containment

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

Methods for cleaning up

Soak up with inert absorbent material. DO NOT use combustible materials such as sawdust. Keep in suitable, closed containers for disposal. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

6.4. Reference to other sections

For personal protective equipment see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/or exhaust in work rooms.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Advice on the protection of the environment

See Section 8: Environmental exposure controls.

Incompatible products

acids and bases



Zorgol 8 10730

Version / Revision

3.01

amines oxidizing agents

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material.

Technical measures/Storage conditions

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care. Handle under nitrogen, protect from moisture.

Temperature class

T3

7.3. Specific end use(s)

Formulation***

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Exposure limits European Union

No exposure limits established

Exposure limits Germany

No exposure limits established.

Exposure limits United States of America

No exposure limits established.

8.2. Exposure controls

Appropriate Engineering controls

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

Personal protective equipment

General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.



Zorgol 8

10730 Version / Revision 3.01

Eye protection

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

Hand protection

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

Suitable material nitrile rubber

Evaluation according to EN 374: level 6

Glove thickness approx 0,55 mm Break through time > 480 min

Suitable material polyvinylchloride

Evaluation Information derived from practical experience

Glove thickness approx 0,8 mm

Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

Respiratory protection

Respirator with filter for organic vapour. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Equipment should conform to NIOSH, EN or other applicable national standards.

Environmental exposure controls

If possible use in closed systems. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance liquid
Colour light brown
Odour slight

Odour threshold No data available

pH 7 (0,79 g/l in water @ 20 °C (68 °F))

Melting point/freezing point < -20 °C

Boiling point or initial boiling 201 - 365 °C @ 1013 hPa

point and boiling range

Flash point 96 °C @ 1013 hPa

Method ISO 2719

Evaporation rate No data available

Flammability (solid, gas) Does not apply, the substance is a liquid

Lower explosion limit
Upper explosion limit
No data available
No data available

Vapour pressure

Values [hPa] Values [kPa] Values [atm] @ °C @ °F Method

0,19*** 0,019*** < 0,01*** 25*** 77*** 0,78*** < 0,01*** 50*** 122***



Zorgol 8 10730

Version / Revision

3.01

Relative vapour density No data available

Density and/or relative density

 Values
 @ °C
 @ °F
 Method

 0,93
 20
 68
 OECD 109

 Solubility
 0,79 g/l @ 20 °C, in water, OECD 105

 Partition coefficient
 1,6 @ 23 °C (73,4 °F) OECD 107

n-octanol/water (log value)

Autoignition temperature 250 °C @ 1013 hPa

Method EU A.15

Decomposition temperatureNo data availableViscosity34,18 mPa*s @ 20 °CMethoddynamic, OECD 114

Oxidizing properties Does not apply, substance is not oxidising. There are no chemical groups

associated with oxidizing properties

Explosive properties not explosive according to EU A.14***

9.2. Other information

Surface tension 42,67 mN/m @ 20 °C (68 °F), EU A.5

SECTION 10: Stability and Reactivity

10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

10.5. Incompatible materials

bases, amines, acids, oxidizing agents.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure Ingestion, Inhalation, Eye contact, Skin contact



Zorgol 8 10730

Version / Revision

3.01

Acute toxicity					
1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues (68609-68-7)					
Routes of Exposure	Endpoint	Values	Species	Method	
Oral	LD50	> 5000 mg/kg	rat, male/female	OECD 401	
Inhalative	LC50	> 5,4 mg/l (4h)	rat, male/female	OECD 403	
		Dust/mist/aerosol***			

1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues, CAS: 68609-68-7 Assessment

Based on available data, the classification criteria are not met for:

Acute oral toxicity

Acute inhalation toxicity

For acute dermal toxicity, no data are available

Irritation and corrosion						
1-Hexanol, 2-ethyl-, ma	1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues (68609-68-7)					
Target Organ Effects	Species	Result	Method			
Skin	rabbit	Moderate skin	OECD 404			
		irritation				
Eyes	rabbit	Mild eye irritation	OECD 405			

<u>1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues, CAS: 68609-68-7</u> Assessment

The available data lead to the classification given in section 2

For respiratory irritation, no data are available

Sensitization						
1-Hexanol, 2-ethyl-, ma	anufacture of, by-pro	ducts from, distillat	ion residues (68609	-68-7)		
Target Organ Effects	Species	Evaluation	Method			
Skin	guinea pig male	not sensitizing	OECD 406			

1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues, CAS: 68609-68-7 Assessment

Based on available data, the classification criteria are not met for:

Skin sensitization

For respiratory sensitization, no data are available

Subacute, subchronic and prolonged toxicity					
1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues (68609-68-7)					
Туре	Dose	Species	Method		
Subacute toxicity	NOAEL: 1000 mg/kg/d	rat, male/female	OECD 422	Oral	
Subchronic toxicity	NOEL: ca. 750 mg/m³/d (90 d)***	rat, male/female	OECD 408	Oral	

1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues, CAS: 68609-68-7 Assessment

Based on available data, the classification criteria are not met for:

STOT RE

Carcinogenicity, Mutagenicity, Reproductive toxicity					
1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues (68609-68-7)					
Type Dose Species Evaluation Method					



Zorgol 8 10730

Version / Revision

3.01

Mutagenicity		V79 cells,	negative	OECD 473	
		Chinese hamster		(Chromosomal	
				Aberration)	
Mutagenicity		Salmonella	negative	OECD 471	
		typhimurium		(Ames)	
		Escherichia coli			
Mutagenicity		CHO (Chinese	negative	OECD 476	
		Hamster Ovary)		(Mammalian	
		cells		Gene Mutation)	
Reproductive toxicity	NOAEL 1000	rat, parental		OECD 422, Oral	
Danua di cationa taccinito	mg/kg/d			OFOD 400 Ovel	
Reproductive toxicity	NOAEL 1000	rat, 1.		OECD 422, Oral	
	mg/kg/d	Generation, male/female			
Developmental Toxicity	NOAEL 1000	rat		OECD 422, Oral	Maternal toxicity
	mg/kg/d				
Developmental Toxicity	NOEL 1000	rat		OECD 422, Oral	Developmental
	mg/kg/d				toxicity,
					Teratogenicity
Developmental Toxicity		rat		OECD 414, Oral	Maternal toxicity
	mg/kg/d				
Developmental Toxicity	NOAEL >=1000	rat		OECD 414, Oral	Fetal toxicity
	mg/kg/d				
Reproductive toxicity***		rat, parental***		OECD 443	
	mg/kg/d***			Oral***	
Reproductive toxicity***		rat, 1.		OECD 443	
	mg/kg/d***	Generation,		Oral***	
		male/female***			

1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues, CAS: 68609-68-7 CMR Classification

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

Evaluation

In vitro tests did not show mutagenic effects

Did not show reprotoxic effects in animal experiments

No cancer study was conducted

1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues, CAS: 68609-68-7 Main symptoms

shortness of breath.

Target Organ Systemic Toxicant - Single exposure

Based on available data, the classification criteria are not met for:

STOT SE

Target Organ Systemic Toxicant - Repeated exposure

Based on available data, the classification criteria are not met for:

STOT RE

Aspiration toxicity

no data available

Note

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:

http://echa.europa.eu/information-on-chemicals/registered-substances.



Zorgol 8 10730

Version / Revision

3.01

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity					
1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues (68609-68-7)					
Species	Exposure time	Dose	Method		
Danio rerio (Zebra fish)	96h	LC50: 50 mg/l	OECD 203		
Daphnia magna (Water flea)	48h	EC50: > 38 mg/l	OECD 202		
Desmodesmus subspicatus	72h	EC50: > 34 mg/l (Growth rate)	OECD 201		
Desmodesmus subspicatus	72h	/	OECD 201		
Activated sludge (domestic)	3 h	EC50: 1655 mg/l	OECD 209		

Long term toxicity	1				
1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues (68609-68-7)					
Туре	Species	Dose	Method		
Mortality	Scenedesmus	NOEC: 19 mg/l (3d)	OECD 201		
	subspicatus	Growth rate			

12.2. Persistence and degradability

1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues, CAS: 68609-68-7 Biodegradation

30 - 35 % (29 d), activated sludge (domestic), non-adapted, aerobic, OECD 301 B.

Abiotic Degradation					
1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues (68609-68-7)					
Туре	Result	Method			
Hydrolysis	No data available				
Photolysis	not expected				

12.3. Bioaccumulative potential

1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues (68609-68-7)				
Туре	Result	Method		
log Pow	1,6 @ 23 °C (73,4 °F)	measured, OECD 107		
BCF	No data available			

12.4. Mobility in soil

1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues (68609-68-7)		
Туре	Result	Method
Adsorption/Desorption	no data available	
Surface tension	42,67 mN/m @ 20 °C (68 °F)	EU A.5
Distribution to environmental compartments	no data available	

12.5. Results of PBT and vPvB assessment



Zorgol 8 10730

Version / Revision

3.01

1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues, CAS: 68609-68-7 PBT and vPvB assessment

Not required This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)***

12.6. Other adverse effects

1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues, CAS: 68609-68-7
No data available

Note

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product Information

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

Hazardous waste according to European Waste Catalogue (EWC)

Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse

SECTION 14: Transport information

Section 14.1 - 14.6

ICAO-TI / IATA-DGR Not restricted

IMDG Not restricted

14.7. Transport in bulk according to Annex not applicable II of MARPOL and the IBC Code

ADR/RID Not restricted

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation 1272/2008, Annex VI not listed***



Zorgol 8 10730

Version / Revision

3.01

DI 2012/18/EU (Seveso III)

Category not subject

DI 1999/13/EC (VOC Guideline)

Component	Status
1-Hexanol, 2-ethyl-, manufacture of, by-products from,	regulated
distillation residues	
CAS: 68609-68-7	

International Inventories

1-Hexanol, 2-ethyl-, manufacture of, by-products from, distillation residues, CAS: 68609-68-7

AICS (AU)
DSL (CA)
IECSC (CN)
EC-No. 2718321 (EU)
KECI 2011-3-5023 (KR)
PICCS (PH)
TSCA (US)
NZIoC (NZ)
TCSI (TW)

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H315: Causes skin irritation.

H412: Harmful to aquatic life with long lasting effects.

Abbreviations

A table of terms and abbreviations can be found under the following link: http://echa.europa.eu/documents/10162/13632/information_requirements_r20_en.pdf

Training advice

For effective first-aid, special training / education is needed.

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

Further information for the safety data sheet

Changes against the previous version are marked by ***. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage (www.chemicals.og.com).

Disclaimer

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ Chemicals makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

End of Safety Data Sheet