according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI

11960

Version / Revision2.01Revision Date27-Jan-2023Supersedes Version2.00***Issuing date27-Jan-2023

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier

Identification of the substance/preparation

n-Butyric acid FI

Chemical Name n-Butyric acid CAS-No 107-92-6 EC No. 203-532-3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Feed Additive according to Regulation 1831/2003/EC

Uses advised against None

1.3. Details of the supplier of the safety data sheet

Company/Undertaking

Identification

OQ Chemicals GmbH Rheinpromenade 4A

D-40789 Monheim Germany

Product Information Product Stewardship

FAX: +49 (0)208 693 2053 email: sc.psq@oq.com

1.4. Emergency telephone number

Emergency telephone number +44 (0) 1235 239 670 (UK)

available 24/7

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This substance is classified based on Directive 1272/2008/EC and its amendments (CLP Regulation)

Acute oral toxicity Category 4, H302 Skin corrosion/irritation Category 1B, H314 Serious eye damage/eye irritation Category 1, H318

Additional information

For full text of Hazard- and EU Hazard-statements see SECTION 16.

2.2. Label elements

Labelling according to Regulation 1272/2008/EC and its amendments (CLP Regulation).

Hazard pictograms

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI 11960

Version / Revision

2.01



Signal word Danger

Hazard statements H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

Precautionary statements P233: Keep container tightly closed.

P260: Do not breathe gas/mist/vapours.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

2.3. Other hazards

Vapours may form explosive mixture with air

Components of the product may be absorbed into the body by inhalation

PBT and vPvB assessment This substance is not considered to be persistent, bioaccumulating nor toxic

(PBT), nor very persistent nor very bioaccumulating (vPvB)

Endocrine disrupting

assessments

The substance is not listed on the candidate list according to Art. 59(1), REACh. The substance was not assessed as having endocrine disrupting properties

according to regulation 2017/2100/EU or 2018/605/EU.

SECTION 3: Composition / information on ingredients

3.1. Substances

Component	CAS-No	1272/2008/EC	Concentration (%)
Butyric acid	107-92-6	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 ATE = 1630 mg/kg (oral)	> 99,5

For full text of Hazard- and EU Hazard-statements see SECTION 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

Skin

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI 11960

Version / Revision

2.01

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

Eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

Ingestion

Call a physician immediately. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Main symptoms

nausea, vomiting, convulsions, shortness of breath, discomfort.

Special hazard

Lung irritation, Stomach perforation, Lung oedema, Methemoglobinemia.

4.3. Indication of any immediate medical attention and special treatment needed

General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically. If ingested, flush stomach and compensate acidosis.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

foam, dry chemical, carbon dioxide (CO2), water spray

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of: carbon monoxide (CO)

carbon dioxide (CO2)

Combustion gases of organic materials must in principle be graded as inhalation poisons

Vapours are heavier than air and may spread along floors

Vapours may form explosive mixture with air

5.3. Advice for firefighters

Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

Precautions for firefighting

Keep people away from and upwind of fire. Cool containers / tanks with water spray. Water run-off and vapor cloud may be corrosive. Dike and collect water used to fight fire.

SECTION 6: Accidental release measures

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI 11960

Version / Revision

2.01

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition. For emergency responders: Personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant).

6.3. Methods and material for containment and cleaning up

Methods for containment

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

Methods for cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Dispose of in accordance with local regulations. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

6.4. Reference to other sections

For personal protective equipment see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Further info may be available in the appropriate Exposure scenarios in the annex to this SDS.

Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/or exhaust in work rooms.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Advice on the protection of the environment

See Section 8: Environmental exposure controls.

Incompatible products

bases amines strong oxidizing agents

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material. Vapours may form explosive mixture with air.

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI 11960

Version / Revision

2.01

Technical measures/Storage conditions

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care.

Suitable material

stainless steel, Polyethylene

Unsuitable material

iron

Temperature class

T2

7.3. Specific end use(s)

Feed Additive according to Regulation 1831/2003/EC

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Exposure limits European Union

No exposure limits established

Exposure limits UK

No exposure limits established.

DNEL & PNEC

Butyric acid, CAS: 107-92-6

Workers

DN(M)EL - long-term exposure - systemic effects - Inhalation

DN(M)EL - acute / short-term exposure - systemic effects - Inhalation

DN(M)EL - long-term exposure - local effects - Inhalation

DN(M)EL - acute / short-term exposure - local effects - Inhalation

DN(M)EL - long-term exposure - systemic effects - Dermal

DN(M)EL - acute / short-term exposure - systemic effects - Dermal

DN(M)EL - long-term exposure - local effects - Dermal

DN(M)EL - acute / short-term exposure - local effects - Dermal

DN(M)EL - local effects - eyes

36,8 mg/m³

No hazard identified

Hazard unknown (no further information necessary)

High hazard (no threshold

derived)

2,67 mg/kg bw/day

No hazard identified

Hazard unknown (no further

information necessary)

High hazard (no threshold

derived)

High hazard (no threshold

derived)

General population

DN(M)EL - long-term exposure - systemic effects - Inhalation

DN(M)EL - acute / short-term exposure - systemic effects - Inhalation

9,15 mg/m³

No hazard identified

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI 11960

Version / Revision

2.01

DN(M)EL - long-term exposure - local effects - Inhalation

DN(M)EL - acute / short-term exposure - local effects - Inhalation

DN(M)EL - long-term exposure - systemic effects - Dermal

DN(M)EL - acute / short-term exposure - systemic effects - Dermal

DN(M)EL - long-term exposure - local effects - Dermal

DN(M)EL - acute / short-term exposure - local effects - Dermal

DN(M)EL - long-term exposure - systemic effects - Oral

DN(M)EL - acute / short-term exposure - systemic effects - Oral

DN(M)EL - local effects - eyes

Hazard unknown (no further information necessary)
High hazard (no threshold derived)

0,66 mg/kg bw/day

No hazard identified

Hazard unknown (no further information necessary)
High hazard (no threshold

derived)

0,66 mg/kg bw/day No hazard identified

High hazard (no threshold

derived)

Environment

PNEC aqua - freshwater PNEC aqua - marine water

PNEC agua - intermittent releases

PNEC STP

PNEC sediment - freshwater
PNEC sediment - marine water

PNEC Air PNEC soil

Secondary poisoning

0,0451 mg/l 0,0045 mg/l 0,451 mg/l 51 mg/l

0,368 mg/kg dw 0,0367 mg/kg dw No hazard identified 0,047 mg/kg dw

No potential to cause toxic effects

if accumulated (in higher organisms) via the food chain

8.2. Exposure controls

Special adaptations (REACh)

This substance is exempted from REACh (1907/2006).

Appropriate Engineering controls

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

Personal protective equipment

General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Eye protection

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

Equipment should conform to EN 166

Hand protection

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI

11960 Version / Revision 2.01

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

Suitable material butyl-rubber

Evaluation according to EN 374: level 6

Glove thickness approx 0,7 mm Break through time approx 480 min

Suitable material nitrile rubber

Evaluation according to EN 374: level 6

Glove thickness approx 0,55 mm Break through time > 480 min

Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

Respiratory protection

Respirator with A filter. Full mask with above mentioned filter according to producers using requirements or self-contained breathing apparatus. Equipment should conform to EN 136 or EN 140 and EN 143.

Environmental exposure controls

If possible use in closed systems. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid colourless
Odour foul smelling
Odour threshold 0,001 mg/m³

Melting point/freezing point -7 °C (Freezing Point)

Method DIN ISO 3016

Boiling point or initial boiling 164 °C @ 1013 hPa

point and boiling range

Method OECD 103

Flammability Even if not classified as flammable, the product is capable of catching fire or

being set on fire.***

Lower explosion limit 2 Vol % Upper explosion limit 10 Vol %

Flash point 71 °C @ 1013 hPa

MethodISO 2719Autoignition temperature435 °CMethodDIN 51794

Decomposition temperature No data available

pH 2 (50 % in water @ 20 °C (68 °F)) DIN 19268

Kinematic Viscosity 1,745 mm²/s @ 20 °C

Method DIN 51562

Solubility miscible, in water, OECD 105 **Partition coefficient** 1,1 (measured) OECD 117

n-octanol/water (log value)

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI

11960 Version / Revision 2.01

Vapour pressure

Values [hPa]	Values [kPa]	Values [atm]	@ °C	@ °F	Method
1	0,1	0,001	20	68	DIN EN
					13016-2
9	0,9	0,009	50	122	DIN EN
					13016-2

Density and/or relative density

Values @ °C @ °F Method 0,957 20 68 DIN 51757

Relative vapour density 3,0 (Air = 1) @ 20 °C (68 °F)

Particle characteristics not applicable

9.2. Other information

Explosive propertiesDoes not apply, substance is not explosive. There are no chemical groups

associated with explosive properties

Oxidizing properties Does not apply, substance is not oxidising. There are no chemical groups

associated with oxidizing properties

Molecular weight88,11Molecular formulaC4 H8 O2log Koc1,69 calculated

Dissociation constant pKa 4,9 @ 21 °C (69,8 °F) OECD 112

Refractive index 1,398 @ 20 °C

Surface tension 68,5 mN/m (1 g/l @ 20°C (68°F)), OECD 115

Evaporation rate No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

10.5. Incompatible materials

bases, amines, strong oxidizing agents.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI 11960

Version / Revision

2.01

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Likely routes of exposure Ingestion, Inhalation, Eye contact, Skin contact

Acute toxicity				
Butyric acid (107-92-6)				
Routes of Exposure	Endpoint	Values	Species	Method
Oral	LD50	1630 mg/kg	rat, male/female	OECD 401
Dermal	LD50	6096 mg/kg	rabbit male	OECD 402
Inhalative	LC0	5,1 mg/l (4h)	rat, male/female	OECD 403

Butyric acid, CAS: 107-92-6

Assessment

The available data lead to the classification given in section 2

Irritation and corrosion	1			
Butyric acid (107-92-6)				
Target Organ Effects	Species	Result	Method	
Skin	rabbit	corrosive	OECD 404	1h
Eyes	rabbit	corrosive		

Butyric acid, CAS: 107-92-6

Assessment

The available data lead to the classification given in section 2

For respiratory irritation, no data are available

Butyric acid, CAS: 107-92-6

Assessment

Skin sensitization was not tested due to the corrosive properties of the substance

For respiratory sensitization, no data are available

Subacute, subchronic and prolonged toxicity					
Butyric acid (107-92-6)					
Type	Dose	Species	Method		
Subchronic toxicity	NOAEC: 500 ppm/d	rat	Inhalation EPA OTS	read across	
	(13 weeks)		798.2450		

Butyric acid, CAS: 107-92-6

Assessment

Based on available data, the classification criteria are not met for:

STOT RE

Carcinogenicity, Muta	Carcinogenicity, Mutagenicity, Reproductive toxicity					
Butyric acid (107-92-6)						
Туре	Dose	Species	Evaluation	Method		
Mutagenicity		CHL	negative (without metabolic activation)	OECD 473 (Chromosomal Aberration)	In vitro study	
Mutagenicity		Salmonella typhimurium	negative	OECD 471 (Ames)	In vitro study	
Mutagenicity		mouse	negative	OECD 474	read across in vivo	
Developmental Toxicity	LOAEC: 1500 ppm	rat		OECD 414, Inhalative	read across Maternal toxicity	

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI 11960

Version / Revision

2.01

					Developmental toxicity
Developmental Toxicity	NOAEC: 1500 ppm	rabbit		Inhalative	read across Maternal toxicity Developmental toxicity
Reproductive toxicity	NOAEC: 2000 ppm	rat, male/female		OECD 416	read across Fertility
Mutagenicity		CHO (Chinese Hamster Ovary) cells	negative	OECD 476 (Mammalian Gene Mutation)	In vitro study

Butyric acid, CAS: 107-92-6

CMR Classification

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

Evaluation

In vitro tests did not show mutagenic effects

Did not show mutagenic effects in animal experiments

In the absence of specific alerts no cancer testing is required

Butyric acid, CAS: 107-92-6

Main symptoms

nausea, vomiting, convulsions, shortness of breath.

Target Organ Systemic Toxicant - Single exposure

Based on available data, the classification criteria are not met for:

STOT SE

Target Organ Systemic Toxicant - Repeated exposure

Based on available data, the classification criteria are not met for:

STOT RE

Aspiration toxicity

Due to the viscosity, this product does not present an aspiration hazard

11.2. Information on other hazards

Endocrine disrupting properties

The substance has not been identified as having endocrine disrupting properties in accordance with section 2.3.

Butyric acid, CAS: 107-92-6

Other adverse effects

Components of the product may be absorbed into the body by inhalation.

Note

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity			
Butyric acid (107-92-6)			
Species	Exposure time	Dose	Method
Daphnia magna (Water flea)	48h	EC50: 51,25 mg/l	read across DIN 38412, part 11
Desmodesmus subspicatus	72h	EC50: 45,1 mg/l (Biomass)	read across DIN 38412, part 9

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI 11960

Version / Revision

2.01

Pimephales promelas (fathead minnow)	96h	LC50: 66,4 mg/l	read across OECD 203
Pseudomonas putida		EC50: 78 mg/l (Growth inhibition)	DIN 38412, part 8

12.2. Persistence and degradability

Butyric acid, CAS: 107-92-6

Biodegradation

100 % (14 d), Sewage, domestic, aerobic, OECD 301 E.

Abiotic Degradation		
Butyric acid (107-92-6)		
Туре	Result	Method
Hydrolysis	not expected	
Photolysis	Half-life (DT50): 188 h	calculated

12.3. Bioaccumulative potential

Butyric acid (107-92-6)		
Туре	Result	Method
log Pow	1,1 @ 25 °C (77 °F)	measured, OECD 117
log BCF	0,5	calculated

12.4. Mobility in soil

Butyric acid (107-92-6)		
Туре	Result	Method
Surface tension	68,5 mN/m (1 g/l @ 20°C (68°F))	OECD 115
Adsorption/Desorption	log Koc: 1,69 @ pH 7	calculated
Distribution to environmental	Air: 6,16 % Soil: 57,1 % Water:	calculated Fugacity Model Level III
compartments	36,7 % Sediment: 0,07 %	

12.5. Results of PBT and vPvB assessment

Butyric acid, CAS: 107-92-6
PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

12.6. Endocrine disrupting properties

The substance has not been identified as having endocrine disrupting properties in accordance with section 2.3.

12.7. Other adverse effects

Butyric acid, CAS: 107-92-6

No data available

SECTION 13: Disposal considerations

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI 11960

Version / Revision

2.01

13.1. Waste treatment methods

Product Information

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

Hazardous waste according to European Waste Catalogue (EWC)

Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

SECTION 14: Transport information

ADR/RID

14.1. UN number or ID number	UN 2820
14.2. UN proper shipping name	Butyric acid
14.3. Transport hazard class(es)	8
14.4. Packing group	III
14.5. Environmental hazards	no
14.6. Special precautions for user	
ADR Tunnel restriction code	(E)
Classification Code	C3
Hazard Number	80

ADN ADN Container

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

Classification Code
Hazard Number

UN 2820

Butyric acid

III

no

C3

80

ICAO-TI / IATA-DGR

14.1. UN number or ID number	UN 2820
14.2. UN proper shipping name	Butyric acid
14.3. Transport hazard class(es)	8
14.4. Packing group	III
14.5. Environmental hazards	no
14.6. Special precautions for user	no data available

IMDG

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI

11960 Version / Revision 2.01

14.1. UN number or ID number 14.2. UN proper shipping nameUN 2820
Butyric acid

14.3. Transport hazard class(es) 8
14.4. Packing group III
14.5. Environmental hazards

14.6. Special precautions for user

EmS F-A, S-B

14.7. Maritime transport in bulk according

to IMO instruments

Product name Butyric acid

Ship type 3
Pollution category Y
Hazard class S/P

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation 1272/2008, Annex VI

Butyric acid, CAS: 107-92-6

Classification Skin Corr. 1B; H314 Hazard pictograms GHS05 Corrosion

Signal word Danger Hazard statements H314

DI 2012/18/EU (Seveso III)

Category not subject

DI 1999/13/EC (VOC Guideline)

Component	Status
Butyric acid	regulated
CAS: 107-92-6	

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758

Component	Status
Butyric acid	The substance is/will be pre-registered
CAS: 107-92-6	

For details and further information please refer to the original regulation.

International Inventories

Butyric acid, CAS: 107-92-6

AICS (AU)
DSL (CA)
IECSC (CN)
EC-No. 2035323 (EU)
ENCS (2)-608 (JP)
ISHL (2)-608 (JP)

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI 11960

Version / Revision

2.01

KECI KE-03838 (KR) INSQ (MX) PICCS (PH) TSCA (US) NZIoC (NZ) TCSI (TW)

National regulatory information Great Britain

Releases to air (Pollution Inventory Substances)

not subject

Releases to water (Pollution Inventory Substances)

not subject

Releases to sewer (Pollution Inventory Substances)

not subject

For details and further information please refer to the original regulation

15.2. Chemical safety assessment

The Chemical Safety Report (CSR) is not required.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

Abbreviations

A table of terms and abbreviations can be found under the following link: http://echa.europa.eu/documents/10162/13632/information_requirements_r20_en.pdf

Training advice

For effective first-aid, special training / education is needed.

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

Further information for the safety data sheet

Changes against the previous version are marked by ***. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage (www.chemicals.oq.com).

The annex is not required because this material is exempted from REACh

Disclaimer

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ Chemicals makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Butyric acid FI 11960

Version / Revision

2.01

the manner of use contemplated. User must meet all applicable safety and health standards.

End of Safety Data Sheet