according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



**OXSOFT GPO** 

11430

Version / Revision6.01Revision Date27-Jan-2023Supersedes Version6.00\*\*\*Issuing date27-Jan-2023

SECTION 1: Identification of the substance / mixture and of the company /

# undertaking

#### 1.1. Product identifier

Identification of the substance/preparation OXSOFT GPO

Chemical Name Bis(2-ethylhexyl)-1,4-benzenedicarboxylate

**CAS-No** 6422-86-2 **EC No.** 229-176-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses plasticizer

coatings inks additive

laboratory chemicals

Uses advised against None

1.3. Details of the supplier of the safety data sheet

Company/Undertaking

Identification

**OQ Chemicals GmbH** Rheinpromenade 4A D-40789 Monheim

Germany

Product Information Product Stewardship

FAX: +49 (0)208 693 2053 email: sc.psq@oq.com

1.4. Emergency telephone number

**Emergency telephone number** +44 (0) 1235 239 670 (UK)

available 24/7

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Based on present data no classification and labelling is required according to Directive 1272/2008/EC and its amendments (CLP Regulation)

### 2.2. Label elements

Not required.

### 2.3. Other hazards

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



**OXSOFT GPO** 

**11430 Version / Revision** 6.01

None known

PBT and vPvB assessment This substance is not considered to be persistent, bioaccumulating nor toxic

(PBT), nor very persistent nor very bioaccumulating (vPvB)

**Endocrine disrupting** 

assessments

The substance is not listed on the candidate list according to Art. 59(1), REACh. The substance was not assessed as having endocrine disrupting properties

according to regulation 2017/2100/EU or 2018/605/EU.

### SECTION 3: Composition / information on ingredients

### 3.1. Substances

Component	CAS-No	1272/2008/EC	Concentration (%)
Bis(2-ethylhexyl)-1,4-	6422-86-2	-	> 96,0
benzenedicarboxylate			

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

#### Skin

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

### **Eyes**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

#### Ingestion

Call a physician immediately. Do not induce vomiting without medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

### Main symptoms

None known.

### Special hazard

None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### **General advice**

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



### OXSOFT GPO 11430

**Version / Revision** 

6.01

foam, dry chemical, carbon dioxide (CO2), water spray

#### **Unsuitable Extinguishing Media**

Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of: carbon monoxide (CO)

carbon dioxide (CO2)

Combustion gases of organic materials must in principle be graded as inhalation poisons Vapours are heavier than air and may spread along floors

### 5.3. Advice for firefighters

### Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

#### **Precautions for firefighting**

Cool containers / tanks with water spray. Dike and collect water used to fight fire. Keep people away from and upwind of fire.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition. For emergency responders: Personal protection see section 8.

### 6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant).

### 6.3. Methods and material for containment and cleaning up

#### **Methods for containment**

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

#### Methods for cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Dispose of in accordance with local regulations. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

### 6.4. Reference to other sections

For personal protective equipment see section 8.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



### OXSOFT GPO 11430

**11430 Version / Revision** 6.01

#### Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/or exhaust in work rooms.

#### Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

### Advice on the protection of the environment

See Section 8: Environmental exposure controls.

#### Incompatible products

strong acids strong oxidizing agents

### 7.2. Conditions for safe storage, including any incompatibilities

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material.

### **Technical measures/Storage conditions**

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care.

#### **Temperature class**

T2

### 7.3. Specific end use(s)

plasticizer coatings inks additive laboratory chemicals

# SECTION 8: Exposure controls / personal protection

### 8.1. Control parameters

### **Exposure limits European Union**

No exposure limits established

### Exposure limits UK

No exposure limits established.

### **DNEL & PNEC**

# Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2 Workers

DN(M)EL - long-term exposure - systemic effects - Inhalation

Other toxicological threshold

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



#### **OXSOFT GPO**

**11430 Version / Revision** 6.01

**DN(M)EL - long-term exposure - systemic effects - Dermal** 6,58 mg/kg bw/day

General population

DN(M)EL - long-term exposure - systemic effects - Inhalation 6,86 mg/m<sup>3</sup>

**DN(M)EL - long-term exposure - systemic effects - Dermal**3,95 mg/kg bw/day **DN(M)EL - long-term exposure - systemic effects - Oral**3,95 mg/kg bw/day

#### **Environment**

0,08 µg/l
0,008 µg/l
1 mg/l
8,28 mg/kg
0,828 mg/kg
15 μg/kg
52,7 mg/kg

### 8.2. Exposure controls

### Special adaptations (REACh)

Not applicable.

### **Appropriate Engineering controls**

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

### Personal protective equipment

#### General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

### Eye protection

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

Equipment should conform to EN 166

#### **Hand protection**

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

Suitable material nitrile rubber

**Evaluation** according to EN 374: level 6

Glove thickness approx 0,55 mm Break through time > 480 min

Suitable material polyvinylchloride / nitrile rubber

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



#### **OXSOFT GPO**

**Version / Revision** 6.01 11430

according to EN 374: level 6 **Evaluation** 

approx 0,9 mm Glove thickness Break through time > 480 min

#### Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

#### **Environmental exposure controls**

If possible use in closed systems. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

#### Additional advice

Further details on substance data can be found in the registration dossier under the following link: http://echa.europa.eu/information-on-chemicals/registered-substances.

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state liquid colourless Colour Odour slight

**Odour threshold** No data available Melting point/freezing point < -67,2 °C @ 1013 hPa

Method EU A.1 375 °C @ 1013 hPa

Boiling point or initial boiling

point and boiling range

Method EU A.2

**Flammability** Even if not classified as flammable, the product is capable of catching fire or

being set on fire.\*\*\*

Lower explosion limit No data available No data available **Upper explosion limit** Flash point 212 °C @ 1013 hPa

Method **ASTM 3278** 

**Autoignition temperature** 387 °C @ 980 hPa

EU A.15 Method

No data available **Decomposition temperature** No data available pН

**Kinematic Viscosity** 66,938 mm<sup>2</sup>/s @ 25 °C

**OECD 114** Method

Solubility 0,4 µg/l @ 22,5 °C, in water **Partition coefficient** 5,72 (calculated) OECD 107

n-octanol/water (log value)

Vapour pressure

Values [hPa] Values [kPa] Values [atm] @ °C @ °F Method < 0.0001 < 0.0001 EU A.4 < 0.001 25 77

Density and/or relative density

@ °C @ °F Values Method 0.983 20 EU A.3 68

Relative vapour density 13,5 (Air = 1) @ 20 °C (68 °F)

**Particle characteristics** not applicable

### 9.2. Other information

6/12 Great Britain (E-GB) /EN

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



**OXSOFT GPO** 

**11430 Version / Revision** 6.01

**Explosive properties**Does not apply, substance is not explosive. There are no chemical groups

associated with explosive properties

Oxidizing properties Does not apply, substance is not oxidising. There are no chemical groups

associated with oxidizing properties

Molecular weight390,56Molecular formulaC24 H38 O4

Conductivity 0,0029  $\mu$ S/m @ 20 °C

Refractive index 1,487 @ 20 °C

**Surface tension** 32,7 mN/m @ 22 °C (71,6 °F), EU A.5

**Evaporation rate** No data available

### SECTION 10: Stability and Reactivity

### 10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

### 10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

### 10.5. Incompatible materials

strong acids, strong oxidizing agents.

### 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

### SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Likely routes of exposure** Ingestion, Eye contact, Skin contact

Acute toxicity					
Bis(2-ethylhexyl)-1,4- ber	nzenedicarboxylate (	6422-86-2)			
Routes of Exposure	Endpoint	Values	Species	Method	
Oral	LD50	> 5000 mg/kg	rat		
Dermal	LD50	> 19670 mg/kg	guinea pig		

#### Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

#### **Assessment**

Based on available data, the classification criteria are not met for:

Acute oral toxicity

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



OXSOFT GPO 11430

Version / Revision 6.01

Acute dermal toxicity

For acute inhalation toxicity, no data are available

Irritation and corrosion				
Bis(2-ethylhexyl)-1,4- benzenedicarboxylate (6422-86-2)				
Target Organ Effects	Species	Result	Method	
Skin	guinea pig	Mild skin irritation		
Eyes	rabbit	Mild eye irritation		

### Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

### Assessment

Based on available data, the classification criteria are not met for: skin irritation/corrosion

eye irritation/corrosion

Sensitization				
Bis(2-ethylhexyl)-1,4- be	enzenedicarboxy	late (6422-86-2)		
Target Organ Effects	Species	Evaluation	Method	
Skin	guinea pig	not sensitizing		

### Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

#### **Assessment**

Based on available data, the classification criteria are not met for:

Skin sensitization

For respiratory sensitization, no data are available

Subacute, subchronic	Subacute, subchronic and prolonged toxicity				
Bis(2-ethylhexyl)-1,4-	benzenedicarboxylate (	(6422-86-2)			
Туре	Dose	Species	Method		
Subacute toxicity	NOAEL: 885 mg/kg/d (28d)	rat, male/female	Oral		
Subacute toxicity	NOAEC: 46,3 mg/m³ (10 d)	rat, male/female	Inhalation		
Subchronic toxicity	NOAEL: 277 - 309 mg/kg/d (90d)	rat	Oral		
Chronic toxicity	NOAEL: 79 - 102 mg/kg/d (104 weeks)	rat	Oral		

# Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

**Assessment** 

Based on available data, the classification criteria are not met for:

STOT RE

Carcinogenicity,	Carcinogenicity, Mutagenicity, Reproductive toxicity				
Bis(2-ethylhexyl)-1,4- benzenedicarboxylate (6422-86-2)					
Туре	Dose	Species	Evaluation	Method	
Mutagenicity		Bacteria	negative	OECD 471	
				(Ames)	
Mutagenicity		Mammalian cells	negative	OECD 473	
				(Chromosomal	
				Aberration)	
Mutagenicity		Mammalian cells	negative	OECD 476	
- •				(Mammalian	
				Gene Mutation)	

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



## OXSOFT GPO

**11430 Version / Revision** 6.01

Developmental Toxicity	NOAEL 747 mg/kg/d	rat	OECD 414, Oral	Developmental toxicity
Developmental Toxicity	0 0	rat	OECD 414, Oral	Maternal toxicity
	NOAEL 500 - 1000 mg/kg/d	rat	OECD 416	Oral

### Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

#### **CMR Classification**

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

#### **Evaluation**

In vitro tests did not show mutagenic effects

Did not show reprotoxic effects in animal experiments

In the absence of specific alerts no cancer testing is required

### Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

### **Target Organ Systemic Toxicant - Single exposure**

Based on available data, the classification criteria are not met for:

STOT SE

### **Target Organ Systemic Toxicant - Repeated exposure**

Based on available data, the classification criteria are not met for:

STOT RE

### **Aspiration toxicity**

Due to the viscosity, this product does not present an aspiration hazard

#### 11.2. Information on other hazards

### **Endocrine disrupting properties**

The substance has not been identified as having endocrine disrupting properties in accordance with section 2.3. **Note** 

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:

http://echa.europa.eu/information-on-chemicals/registered-substances.

# SECTION 12: Ecological information

### 12.1. Toxicity

Acute aquatic toxicity				
Bis(2-ethylhexyl)-1,4- benzenedicarboxylate (6422-86-2)				
Species	Exposure time	Dose	Method	
Daphnia magna (Water flea)	48h	NOEC: >= 0,0014 mg/l		
Daphnia magna (Water flea)	48h	EC50: > 0,0014 mg/l		
Pimephales promelas (fathead minnow)	96h	LC50: > 984 mg/l		
Algae	72h	NOEC: >= 0,86 mg/l	Growth inhibition	

### 12.2. Persistence and degradability

### Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

**Biodegradation** 

40,2 % (28 d).

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



OXSOFT GPO

**11430 Version / Revision** 6.01

### 12.3. Bioaccumulative potential

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate (6422-86-2)				
Туре	Result	Method		
log Pow	5,72	calculated, OECD 107		

### 12.4. Mobility in soil

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate (6422-86-2)			
Туре	Result	Method	
Surface tension	32,7 mN/m @ 22 °C (71,6 °F)	EU A.5	

### 12.5. Results of PBT and vPvB assessment

### Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

#### PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

### 12.6. Endocrine disrupting properties

The substance has not been identified as having endocrine disrupting properties in accordance with section 2.3.

### 12.7. Other adverse effects

#### Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

No data available

#### Note

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### **Product Information**

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

### Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

# SECTION 14: Transport information

### **Section 14.1 - 14.6**

ADR/RID Not restricted

ADN: Container and Tanker

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



**OXSOFT GPO** 

**11430 Version / Revision** 6.01

ADN Not restricted

ICAO-TI / IATA-DGR Not restricted

IMDG Not restricted

14.7. Maritime transport in bulk according not applicable

to IMO instruments

## SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulation 1272/2008, Annex VI

not listed

### DI 2012/18/EU (Seveso III)

Category not subject

### DI 1999/13/EC (VOC Guideline)

Component	Status
Bis(2-ethylhexyl)-1,4- benzenedicarboxylate	not subject
CAS: 6422-86-2	

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758

Component	Status
Bis(2-ethylhexyl)-1,4- benzenedicarboxylate	The substance will not be pre-registered
CAS: 6422-86-2	

For details and further information please refer to the original regulation.

#### **International Inventories**

#### Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

AICS (AU)
DSL (CA)
IECSC (CN)
EC-No. 2291769 (EU)
ENCS (3)-4053 (JP)
ISHL 4-(7)-1490 (JP)
KECI KE-02197 (KR)
PICCS (PH)
TSCA (US)
NZIoC-NZ with note
TCSI (TW)

### National regulatory information Great Britain

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



# OXSOFT GPO

**11430 Version / Revision** 6.01

### Releases to air (Pollution Inventory Substances)

not subject

#### Releases to water (Pollution Inventory Substances)

not subject

#### Releases to sewer (Pollution Inventory Substances)

not subject

For details and further information please refer to the original regulation

### 15.2. Chemical safety assessment

The Chemical Safety Report (CSR) has been generated. As this product is not hazardous under REACh, no Exposure Scenarios have been calculated.

### SECTION 16: Other information

#### **Abbreviations**

A table of terms and abbreviations can be found under the following link: http://echa.europa.eu/documents/10162/13632/information\_requirements\_r20\_en.pdf

#### Training advice

For effective first-aid, special training / education is needed.

#### Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

#### Further information for the safety data sheet

Changes against the previous version are marked by \*\*\*. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage (www.chemicals.og.com).

The annex is not required because the substance is not hazardous under REACh

### **Disclaimer**

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ Chemicals makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

**End of Safety Data Sheet** 

12 / 12 Great Britain (E-GB) /EN