according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

Version / Revision Supersedes Version

6.01 6.00*** Revision Date Issuing date 15-Dec-2022 15-Dec-2022

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier

Identification of the substance/preparation

Propionaldehyde

CAS-No EC No.

123-38-6 204-623-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Transported isolated intermediate (1907/2006)
Uses advised against	None

1.3. Details of the supplier of the safety data sheet

Company/Undertaking Identification	OQ Chemicals GmbH Rheinpromenade 4A D-40789 Monheim Germany
Product Information	Product Stewardship FAX: +49 (0)208 693 2053 email: sc.psq@oq.com

1.4. Emergency telephone number

Emergency telephone number +44 (0) 1235 239 670 (UK) available 24/7

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This substance is classified based on Directive 1272/2008/EC and its amendments (CLP Regulation)

Flammable liquid Category 2, H225 Acute oral toxicity Category 4, H302 Acute inhalation toxicity Category 4, H332 Skin corrosion/irritation Category 2, H315 Serious eye damage/eye irritation Category 2, H319 Target Organ Systemic Toxicant - Single exposure Category 3, H335

In addition to the CLP classification based on OQ data this product should also be regarded as: Serious eye damage/eye irritation: category 1

Additional information

For full text of Hazard- and EU Hazard-statements see SECTION 16.

2.2. Label elements

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

Version / Revision 6.01

Labelling according to Regulation 1272/2008/EC and its amendments (CLP Regulation).

Hazard pictograms



Signal word	Danger
Hazard statements	H225: Highly flammable liquid and vapour. H302: Harmful if swallowed. H332: Harmful if inhaled. H315: Causes skin irritation. H319: Causes serious eye irritation. H335: May cause respiratory irritation.
Precautionary statements	 P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233: Keep container tightly closed. P261: Avoid breathing gas/mist/vapours. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301 + P330: IF SWALLOWED: Rinse mouth P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312: Call a POISON CENTRE/doctor if you feel unwell. P403 + P235: Store in a well ventilated place. Keep cool.

2.3. Other hazards

Vapours may form explosive mixture with air Vapour is heavier than air and can travel considerable distance to a source of ignition and flashback Components of the product may be absorbed into the body by inhalation and ingestion

PBT and vPvB assessment	Not required
Endocrine disrupting assessments	The substance is not listed on the candidate list according to Art. 59(1), REACh. The substance was not assessed as having endocrine disrupting properties according to regulation 2017/2100/EU or 2018/605/EU.

SECTION 3: Composition / information on ingredients

3.1. Substances

Component	CAS-No	1272/2008/EC	Concentration (%)
Propionaldehyde	123-38-6	Flam. Liq. 2; H225	> 98,5
		Acute Tox. 4; H302	

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

Version / Revision 6.01

Acute Tox. 4; H332	
Skin Irrit. 2; H315	
Eye Irrit. 2; H319	
STOT SE 3; H335	
ATE = 1690 mg/kg (oral)	
ATE = 10,1 mg/L*** (inhalation)	
(vapours)	

For full text of Hazard- and EU Hazard-statements see SECTION 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

Skin

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

Eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Obtain medical attention.

Ingestion

Do not induce vomiting without medical advice. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Main symptoms

shortness of breath, cough, central nervous system depression, hypertensive effect, narcosis, headache, nausea, vomiting, unconsciousness.

Special hazard

Lung oedema, Lung irritation, Kidney disorders, Liver disorders.

4.3. Indication of any immediate medical attention and special treatment needed

General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically. In case of lung irritation, first treatment with cortisone spray.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water spray

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

Version / Revision

6.01

Under conditions giving incomplete combustion, hazardous gases produced may consist of: carbon monoxide (CO)

carbon dioxide (CO2)

Combustion gases of organic materials must in principle be graded as inhalation poisons Vapour is heavier than air and can travel considerable distance to a source of ignition and flashback Vapours may form explosive mixture with air

5.3. Advice for firefighters

Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

Precautions for firefighting

Cool containers / tanks with water spray. Dike and collect water used to fight fire. Keep people away from and upwind of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition. For emergency responders: Personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant).

6.3. Methods and material for containment and cleaning up

Methods for containment

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

Methods for cleaning up

Soak up with inert absorbent material. DO NOT use combustible materials such as sawdust. Keep in suitable. closed containers for disposal. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

6.4. Reference to other sections

For personal protective equipment see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/or exhaust in work rooms. Refill and handle product only in closed system. Do not use compressed air for filling, discharging or handling.

Hygiene measures

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

Version / Revision 6.01

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Advice on the protection of the environment

See Section 8: Environmental exposure controls.

Incompatible products

acids and bases amines oxidizing agents

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material. Vapour is heavier than air and can travel considerable distance to a source of ignition and flashback. Vapours may form explosive mixture with air. The pressure in sealed containers can increase under the influence of heat.

Technical measures/Storage conditions

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care. Handle under nitrogen, protect from moisture. Keep at temperatures between 9 and 38 °C (48 and 100 °F).

Temperature class

Τ4

7.3. Specific end use(s)

Transported isolated intermediate (1907/2006)

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Exposure limits European Union

No exposure limits established

Exposure limits UK

No exposure limits established.

DNEL & PNEC

Propionaldehyde, CAS: 123-38-6 Workers

DN(M)EL - long-term exposure - systemic effects - Inhalation	
DN(M)EL - long-term exposure - local effects - Inhalation	

6,1 mg/m³ 12,1 mg/m³

Environment

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

PNEC aqua - freshwater PNEC aqua - marine water PNEC aqua - intermittent releases PNEC STP PNEC sediment - freshwater PNEC sediment - marine water PNEC Air PNEC soil Secondary poisoning 0,014 mg/l 0,0014 mg/l 0,14 mg/l 12,4 mg/l 0,0307 mg/kg 0,00307 mg/kg No hazard identified 0,00263 mg/kg No potential for bioaccumulation

6.01

Version / Revision

8.2. Exposure controls

Special adaptations (REACh) Not applicable.

Appropriate Engineering controls

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

Personal protective equipment

General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Eye protection

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

Equipment should conform to EN 166

Hand protection

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

Suitable material	butyl-rubber
Evaluation	according to EN 374: level 5
Glove thickness	approx 0,3mm
Break through time	approx 240min
Suitable material	polyvinylchloride
Evaluation	Information derived from practical experience
Glove thickness	approx 0,8 mm

Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

Respiratory protection

Respirator with AX/PA filter. Full mask with above mentioned filter according to producers using requirements or self-contained breathing apparatus. Equipment should conform to EN 136 or EN 140 and EN 143.

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

Version / Revision

6.01

Environmental exposure controls

If possible use in closed systems. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

Additional advice

Further details on substance data can be found in the registration dossier under the following link: http://echa.europa.eu/information-on-chemicals/registered-substances.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Colour Odour Odour threshold Melting point/freezing Method Boiling point or initial point and boiling rang Method Flammability Lower explosion limit Upper explosion limit Flash point Method Autoignition temperat Method Decomposition temperat Method Decomposition temperat Method Solubility Partition coefficient n-octanol/water (log v	DIN IS boiling 48,5 ° ge OECD Ignitat 2,6 Vo 17 Vol -30 °C DIN E 195 °C DIN 5 erature No dat 0,430 OECD 254 g/ 0,2 @	nt C SO 3016 C @ 1013 hP 103 ble I % N ISO 13736 C @ 1013 hPa 1794 ta available ta available mm²/s @ 20 0	a °C water		
Vapour pressure Values [hPa] Val	ues [kPa] Values	[atm] @ '	°C @ '	°F M	ethod
364	36,4 0,38	59 20) 68		N EN 016-2
1096	109,6 1,0	8 50) 12	2 DI	N EN 016-2
Density and/or relative Values 0,7969 Relative vapour densi Particle characteristic	@°C 20 ty 1,8 (A	@ °F 68 sir = 1) @ 37,8 plicable	DIN	ethod 51757	0102

9.2. Other information

Does not apply, substance is not explosive. There are no chemical groups **Explosive properties** associated with explosive properties **Oxidizing properties** Does not apply, substance is not oxidising. There are no chemical groups

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

Version / Revision 6.01

Molecular weight Molecular formula log Koc Refractive index Surface tension Evaporation rate associated with oxidizing properties 58,08 C3 H6 O 0,441 calculated 1,362 @ 20 °C 71,5 mN/m (1 g/l @ 20°C (68°F)) No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

10.2. Chemical stability

Stable under recommended storage conditions. Stable up to approximately 48 °C.

10.3. Possibility of hazardous reactions

Hazardous reactions occur in the presence of acids, base or oxidizing agents. This reaction is exothermic and may create heat. When finely distributed, self-ignition is possible. May form explosive peroxides.

10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

10.5. Incompatible materials

bases, amines, acids, oxidizing agents.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Likely routes of exposure Ingestion, Inhalation, Eye contact, Skin contact

Acute toxicity						
Propionaldehyde (123-38-6)						
Routes of Exposure	Endpoint	Values	Species	Method		
Oral	LD50	1690 mg/kg	rat, female	OECD 401		
Inhalative	LC50	> 4,6 mg/l (4h)	rat***	OECD 403		
Inhalative***	LC50***	9,5 - 19 mg/l (4h)***	rat***			
Dermal***	LD50***	2460 mg/kg***	rabbit female***	OECD 402***		

Propionaldehyde, CAS: 123-38-6 Assessment

The available data lead to the classification given in section 2

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

Version / Revision 6.01

Irritation and corrosion					
Propionaldehyde (123-	38-6)				
Target Organ Effects	Species	Result	Method		
Skin	rabbit	irritating	OECD 404		
Eyes	rabbit	severe irritation	OECD 405		

Propionaldehyde, CAS: 123-38-6

Assessment

The available data lead to the classification given in section 2 For respiratory irritation, no data are available

Sensitization					
Propionaldehyde (123-38-6)					
Target Organ Effects	Species	Evaluation	Method		
Skin	guinea pig	not sensitizing	OECD 406		
Skin	mouse female	not sensitizing	OECD 429		

Propionaldehyde, CAS: 123-38-6

Assessment

Based on available data, the classification criteria are not met for:

Skin sensitization

For respiratory sensitization, no data are available

Subacute, subchronic and prolonged toxicity

Propionaldehyde (123-38	-6)			
Туре	Dose	Species	Method	
Subchronic toxicity	NOAEC: 362 mg/m ³ (49 d)	rat, male	OECD 422	Inhalation
Subacute toxicity	NOAEC: 217 mg/m ³ (20 d)	rat		

Propionaldehyde, CAS: 123-38-6

Assessment

Based on available data, the classification criteria are not met for: STOT RE

Carcinogenicity, Mutagenicity, Reproductive toxicity					
Propionaldehyde (12	3-38-6)				
Туре	Dose	Species	Evaluation	Method	
Reproductive toxicity	NOEC > 3620 mg/m ³	rat, parental		OECD 422	
Mutagenicity		Salmonella typhimurium	negative	OECD 471 (Ames)	In vitro study
Mutagenicity		mouse	negative	OECD 474	in vivo micronucleus test
Mutagenicity		human lymphocytes	negative	OECD 479 (SCE)	In vitro study
Mutagenicity		human hepatocytes	negative	OECD 482	In vitro study
Mutagenicity		CHED cells (chinese Hamster Embroonic Diploid)	positive	OECD 473 (Chromosomal Aberration)	In vitro study

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

Version / Revision

6.01

Propionaldehyde, CAS: 123-38-6

CMR Classification

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

Evaluation

Did not show mutagenic effects in animal experiments

Propionaldehyde, CAS: 123-38-6

Main symptoms

shortness of breath, cough, central nervous system depression, hypertensive effect, narcosis, headache, nausea, vomiting, unconsciousness.

Target Organ Systemic Toxicant - Single exposure

The available data lead to the classification given in section 2

Target Organ Systemic Toxicant - Repeated exposure

Based on available data, the classification criteria are not met for:

STOT RE

Aspiration toxicity no data available

11.2. Information on other hazards

Endocrine disrupting properties

The substance has not been identified as having endocrine disrupting properties in accordance with section 2.3. Propionaldehyde, CAS: 123-38-6

Other adverse effects

Components of the product may be absorbed into the body by inhalation and ingestion.

Note

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:

http://echa.europa.eu/information-on-chemicals/registered-substances.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity			
Propionaldehyde (123-38-6)			
Species	Exposure time	Dose	Method
Daphnia magna (Water flea)	48h	EC50: 88,7 mg/l	84/449/EEC C.2
Pimephales promelas (fathead minnow)	96h	EC50: 14 mg/l	
Desmodesmus subspicatus	72h	EC50: 260 mg/l (Growth rate)	DIN 38412, part 9
Pseudomonas putida	14 h	TTC: 124 mg/l	DIN 38412, part 8
Fish (fresh water) Poecilia retiaculata (guppy)	14 d	EC50: 15 mg/l	OECD 204

12.2. Persistence and degradability

Propionaldehyde, CAS: 123-38-6

Biodegradation

91 - 97 % (28 d), activated sludge, aerobic, OECD 301 C.

Abiotic Degradation

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

Version / Revision 6.01

Propionaldehyde (123-38-6)		
Туре	Result	Method
Hydrolysis	No data available	
Photolysis	Half-life (DT50): 17,51 h	SRC AOP v1.92

12.3. Bioaccumulative potential

Propionaldehyde (123-38-6)		
Туре	Result	Method
log Pow	0,2 @ 25 °C (77 °F)	OECD 117
BCF	3,162, (calculated)	

12.4. Mobility in soil

Propionaldehyde (123-38-6)		
Туре	Result	Method
Adsorption/Desorption	log Koc: 0,441	calculated
Surface tension	71,5 mN/m (1 g/l @ 20°C (68°F))	
Distribution to environmental	Air: 4,52 Soil: 47,7 Water: 47,7	
compartments	Sediment: 0,09	

12.5. Results of PBT and vPvB assessment

Propionaldehyde, CAS: 123-38-6

PBT and vPvB assessment

Not required

12.6. Endocrine disrupting properties

The substance has not been identified as having endocrine disrupting properties in accordance with section 2.3.

12.7. Other adverse effects

Propionaldehyde, CAS: 123-38-6

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product Information

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

Hazardous waste according to European Waste Catalogue (EWC)

Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

Version / Revision

6.01

SECTION 14: Transport information

ADR/RID

 14.1. UN number or ID number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group 14.5. Environmental hazards 14.6. Special precautions for user ADR Tunnel restriction code Classification Code Hazard Number 	UN 1275 Propionaldehyde 3 II no (D/E) F1 33
ADN	ADN Container
 14.1. UN number or ID number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group 14.5. Environmental hazards 14.6. Special precautions for user Classification Code Hazard Number 	UN 1275 Propionaldehyde 3 II no F1 33
	ADN Tanker
ADN	
ADN 14.1. UN number or ID number 14.2. UN proper shipping name 14.3. Transport hazard class(es) Subsidiary Risk 14.4. Packing group 14.5. Environmental hazards 14.6. Special precautions for user Classification Code	UN 1275 Propionaldehyde 3 N3 II no F1
 14.1. UN number or ID number 14.2. UN proper shipping name 14.3. Transport hazard class(es) Subsidiary Risk 14.4. Packing group 14.5. Environmental hazards 14.6. Special precautions for user 	Propionaldehyde 3 N3 II no

IMDG

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640	Version / Revision 6.01
14.1. UN number or ID number	UN 1275
14.2. UN proper shipping name	Propionaldehyde
14.3. Transport hazard class(es)	3
14.4. Packing group	ll
14.5. Environmental hazards	no
14.6. Special precautions for user	
EmS	F-E, S-D
14.7. Maritime transport in bulk according	
to IMO instruments	
Product name	Propionaldehyde
Ship type	3
Pollution category	Y
Hazard class	S/P

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation 1272/2008, Annex VI

Propionaldehyde, CAS: 123-38-	·6_
Classification	Flam. Liq. 2; H225
	Eye Irrit. 2; H319
	STOT SE 3; H335
	Skin Irrit. 2; H315
Hazard pictograms	GHS02 Flame
	GHS07 Exclamation mark
Signal word	Danger
Hazard statements	H225, H319, H335, H315
DI 2012/18/EU (Seveso III)	
Category	Annex I, part 1:

Category

DI 1999/13/EC (VOC Guideline)

Component	Status
Propionaldehyde	regulated
CAS: 123-38-6	

P5a - c; depending on conditions

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758

Component	Status
Propionaldehyde CAS: 123-38-6	The substance is/will be pre-registered

For details and further information please refer to the original regulation.

International Inventories

Propionaldehyde, CAS: 123-38-6 AICS (AU)

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

Version / Revision 6.

6.01

DSL (CA) IECSC (CN) EC-No. 2046230 (EU) ENCS (2)-486 (JP) ISHL (2)-486 (JP) KECI KE-29254 (KR) INSQ (MX) PICCS (PH) TSCA (US) NZIOC (NZ) TCSI (TW)

National regulatory information Great Britain

Releases to air (Pollution Inventory Substances) not subject

Releases to water (Pollution Inventory Substances)

not subject

Releases to sewer (Pollution Inventory Substances)

not subject For details and further information please refer to the original regulation

15.2. Chemical safety assessment

The Chemical Safety Report (CSR) is not required.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H225: Highly flammable liquid and vapour.

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

Abbreviations

A table of terms and abbreviations can be found under the following link: http://echa.europa.eu/documents/10162/13632/information_requirements_r20_en.pdf

Training advice

For effective first-aid, special training / education is needed.

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

Further information for the safety data sheet

Changes against the previous version are marked by ***. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



Propionaldehyde 10640

Version / Revision

6.01

(www.chemicals.oq.com).

The annex is not required because the substance is registered as an intermediate under REACh

Disclaimer

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ Chemicals makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

End of Safety Data Sheet