according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

Version / Revision5.01Revision Date27-Jan-2023Supersedes Version5.00***Issuing date27-Jan-2023

· ------

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier

Identification of the substance/preparation

n-Heptanol

CAS-No 111-70-6 **EC No.** 203-897-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Transported isolated intermediate (1907/2006)

Uses advised against None

1.3. Details of the supplier of the safety data sheet

Company/Undertaking

Identification

OQ Chemicals GmbH Rheinpromenade 4A

D-40789 Monheim

Germany

Product Information Product Stewardship

FAX: +49 (0)208 693 2053 email: sc.psq@oq.com

1.4. Emergency telephone number

Emergency telephone number +44 (0) 1235 239 670 (UK)

available 24/7

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This substance is classified based on Directive 1272/2008/EC and its amendments (CLP Regulation)

Serious eye damage/eye irritation Category 2, H319

Additional information

For full text of Hazard- and EU Hazard-statements see SECTION 16.

2.2. Label elements

Labelling according to Regulation 1272/2008/EC and its amendments (CLP Regulation).

Hazard pictograms

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

Version / Revision

5.01



Signal word Warning

Hazard statements H319: Causes serious eye irritation.

Precautionary statements P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313: If eye irritation persists: Get medical advice/ attention.

2.3. Other hazards

Components of the product may be absorbed into the body by inhalation and ingestion Vapour/air-mixtures are explosive at intense warming

PBT and vPvB assessment This substance is not considered to be persistent, bioaccumulating nor toxic

(PBT), nor very persistent nor very bioaccumulating (vPvB)

Endocrine disrupting

assessments

The substance is not listed on the candidate list according to Art. 59(1), REACh. The substance was not assessed as having endocrine disrupting properties

according to regulation 2017/2100/EU or 2018/605/EU.

SECTION 3: Composition / information on ingredients

3.1. Substances

Component	CAS-No	1272/2008/EC	Concentration (%)
Heptan-1-ol	111-70-6	Eye Irrit. 2; H319	> 99,0

For full text of Hazard- and EU Hazard-statements see SECTION 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

Skin

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

Eves

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

Ingestion

Call a physician immediately. Do not induce vomiting without medical advice.

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

Version / Revision

5.01

4.2. Most important symptoms and effects, both acute and delayed

Main symptoms

cough, headache, dizziness, drowsiness, nausea.

Special hazard

Lung irritation, Pneumonia, Prolonged skin contact may defat the skin and produce dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed

General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically. If ingested, irrigate the stomach using activated charcoal.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

foam, dry chemical, carbon dioxide (CO2), water spray

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of: carbon monoxide (CO)

carbon dioxide (CO2)

Combustion gases of organic materials must in principle be graded as inhalation poisons

Vapours are heavier than air and may spread along floors

Vapour/air-mixtures are explosive at intense warming

5.3. Advice for firefighters

Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

Precautions for firefighting

Cool containers / tanks with water spray. Dike and collect water used to fight fire. Keep people away from and upwind of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition. For emergency responders: Personal protection see section 8.

6.2. Environmental precautions

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

Version / Revision

5.01

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant).

6.3. Methods and material for containment and cleaning up

Methods for containment

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

Methods for cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Dispose of in accordance with local regulations. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

6.4. Reference to other sections

For personal protective equipment see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/or exhaust in work rooms.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Advice on the protection of the environment

See Section 8: Environmental exposure controls.

Incompatible products

strong acids oxidizing agents

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material. Vapour/air-mixtures are explosive at intense warming.

Technical measures/Storage conditions

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care.

Temperature class

T3

7.3. Specific end use(s)

Transported isolated intermediate (1907/2006)

SECTION 8: Exposure controls / personal protection

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

Version / Revision

5.01

8.1. Control parameters

Exposure limits European Union

No exposure limits established

Exposure limits UK

No exposure limits established.

DNEL & PNEC

Heptan-1-ol, CAS: 111-70-6

Workers

DN(M)EL - long-term exposure - systemic effects - Inhalation	35,26 mg/m
Dittinize iong torin oxpoduro dybtorino directo initialation	00,20

DN(M)EL - acute / short-term exposure - systemic effects - Inhalation No hazard identified

DN(M)EL - long-term exposure - local effects - Inhalation

DN(M)EL - acute / short-term exposure - local effects - Inhalation

DN(M)EL - long-term exposure - systemic effects - Dermal

DN(M)EL - acute / short-term exposure - systemic effects - Dermal

DN(M)EL - long-term exposure - local effects - Dermal

DN(M)EL - acute / short-term exposure - local effects - Dermal

DN(M)EL - local effects - eyes

Hazard unknown (no further information necessary)

No hazard identified 10 mg/kg bw/day

No hazard identified

Hazard unknown (no further

information necessary)

No hazard identified

low hazard

General population

DN(M)EL - long-term exposure - systemic effects - Inhalation	No hazard identified
DN(M)EL - acute / short-term exposure - systemic effects - Inhalation	No hazard identified

DN(M)EL - long-term exposure - local effects - Inhalation

DN(M)EL - acute / short-term exposure - local effects - Inhalation

DN(M)EL - long-term exposure - systemic effects - Dermal

DN(M)EL - acute / short-term exposure - systemic effects - Dermal

DN(M)EL - long-term exposure - local effects - Dermal

DN(M)EL - acute / short-term exposure - local effects - Dermal

DN(M)EL - long-term exposure - systemic effects - Oral

DN(M)EL - acute / short-term exposure - systemic effects - Oral

DN(M)EL - local effects - eyes

Hazard unknown (no further

information necessary)

No hazard identified

Environment

PNEC aqua - freshwater	
PNEC aqua - marine water	

PNEC aqua - intermittent releases

PNEC STP

PNEC sediment - freshwater PNEC sediment - marine water 0,027 mg/l 0,003 mg/l 0,175 mg/l

10 mg/l 0,22 mg/kg 0,022 mg/kg

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

0900 Version / Revision 5.01

PNEC Air
PNEC soil
No hazard identified 0,028 mg/kg

Secondary poisoning

No potential for bioaccumulation

8.2. Exposure controls

Special adaptations (REACh)

The substance has been registered as an transported isolated intermediate and must be handled throughout its life cycle under strictly controlled conditions in accordance with Article 18.4, REACH.

Appropriate Engineering controls

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

Personal protective equipment

General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Eye protection

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

Equipment should conform to EN 166

Hand protection

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

Suitable material nitrile rubber Reference substance n-Hexanol

Evaluation according to EN 374: level 6

Glove thickness approx 0,55 mm

Break through time > 480 min

Suitable material polyvinylchloride / nitrile rubber

Reference substance n-Hexanol

Evaluation according to EN 374: level 6

Glove thickness approx 0,9 mm Break through time > 480 min

Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

Respiratory protection

Respirator with A filter. Full mask with above mentioned filter according to producers using requirements or self-contained breathing apparatus. Equipment should conform to EN 136 or EN 140 and EN 143.

Environmental exposure controls

If possible use in closed systems. If leakage can not be prevented, the substance needs to be suck off at the

6 / 14 Great Britain (E-GB) /EN

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

Version / Revision

5.01

emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

Additional advice

Further details on substance data can be found in the registration dossier under the following link: http://echa.europa.eu/information-on-chemicals/registered-substances.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid
Colour colourless
Odour slight

Odour threshold No data available

Melting point/freezing point - 34,6 °C

Boiling point or initial boiling 179,38 °C @ 1013 hPa

point and boiling range

Method OECD 103

Flammability Even if not classified as flammable, the product is capable of catching fire or

being set on fire.***

Lower explosion limit 0,9 Vol %

Upper explosion limitNo data available **Flash point**76 °C @ 1013 hPa

Method EU A.9

Autoignition temperature 292 °C @ 992 hPa

Method EU A.15

Decomposition temperature No data available No data available Stinematic Viscosity No data available 9,000 mm²/s @ 20 °C

Method OECD 114

Solubility 1,63 mg/l @ 25 °C, in water, OECD 105

Partition coefficient 2,2 (measured) OECD 117

n-octanol/water (log value)

Vapour pressure

@ °C Values [hPa] Values [kPa] Values [atm] @ °F Method 0.070 0.007 < 0.001 20 EU A.4 68 < 0.001 0.100 0.01 25 77 EU A.4

Density and/or relative density

Values @ °C @ °F Method 0,8222 20 68 OECD 109

Relative vapour density 4,01 (Air = 1) @ 20 °C (68 °F)

Particle characteristics not applicable

9.2. Other information

Explosive propertiesDoes not apply, substance is not explosive. There are no chemical groups

associated with explosive properties

Oxidizing properties Does not apply, substance is not oxidising. There are no chemical groups

associated with oxidizing properties

Molecular weight 116,20 Molecular formula C7 H16 O

log Koc 1,66 @ 22 °C OECD 121

Refractive index 1,4249 @ 20 °C

7 / 14 Great Britain (E-GB) /EN

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

Version / Revision

5.01

Surface tension Evaporation rate 41 mN/m @ 20 °C, OECD 115

No data available

SECTION 10: Stability and Reactivity

10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

10.5. Incompatible materials

strong acids, oxidizing agents.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Likely routes of exposure Ingestion, Inhalation, Eye contact, Skin contact

Acute toxicity				
Heptan-1-ol (111-70-6)				
Routes of Exposure	Endpoint	Values	Species	Method
Dermal	LD50	> 2000 mg/kg	rabbit	OECD 402
Inhalative	LC0	> 7,4 mg/m³ (4h)	rat, male/female	sat. vapor OECD
				403
Oral	LD50	5500 - 6200 mg/kg	rat, male/female	OECD 401

Heptan-1-ol, CAS: 111-70-6

Assessment

Based on available data, the classification criteria are not met for:

Acute oral toxicity
Acute dermal toxicity
Acute inhalation toxicity
STOT SE

Irritation and corrosion	
Heptan-1-ol (111-70-6)	

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

Version / Revision

5.01

Target Organ Effects	Species	Result	Method	
Skin	rabbit	Mild skin irritation	OECD 404	
Eyes	rabbit	irritating	OECD 405	

Heptan-1-ol, CAS: 111-70-6

Assessment

The available data lead to the classification given in section 2

For respiratory irritation, no data are available

Sensitization				
Heptan-1-ol (111-70-6)				
Target Organ Effects	Species	Evaluation	Method	
Skin	guinea pig male/female	not sensitizing	OECD 406	
Skin	mouse female	mildly sensitizing	OECD 429	

Heptan-1-ol, CAS: 111-70-6

Assessment

Based on available data, the classification criteria are not met for:

Skin sensitization

For respiratory sensitization, no data are available

Subacute, subchronic and prolonged toxicity					
Heptan-1-ol (111-70-6)				
Туре	Dose	Species	Method		
Subacute toxicity	NOAEL: >= 1000 mg/kg/d	rat, male/female	OECD 422 Oral		
Subacute toxicity Subchronic toxicity	NOAEL: 1000 mg/kg/d	rat, male/female	OECD 408 Oral	read across	

Heptan-1-ol, CAS: 111-70-6

Assessment

Based on available data, the classification criteria are not met for:

STOT RE

Carcinogenicity, Muta	genicity, Reproc	luctive toxicity			
Heptan-1-ol (111-70-6)					
Туре	Dose	Species	Evaluation	Method	
Mutagenicity		human lymphocytes	negative	OECD 473 (Chromosomal Aberration)	In vitro study
Mutagenicity		mouse lymphoma cells	negative	OECD 476 (Mammalian Gene Mutation)	In vitro study
Mutagenicity		Salmonella typhimurium	negative	OECD 471 (Ames)	In vitro study
-1	NOAEL 1000 mg/kg/d	rat, male/female		OECD 422, Oral	read across Oral
	NOAEL 1000 mg/kg/d	rat, 1. Generation, male/female		OECD 421 OECD 422, Oral	read across Oral
Developmental Toxicity	NOEC 3500 mg/m³	rat		Inhalation	read across Maternal toxicity Teratogenicity

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

Version / Revision

5.01

Heptan-1-ol, CAS: 111-70-6

CMR Classification

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

Evaluation

In vitro tests did not show mutagenic effects

Heptan-1-ol, CAS: 111-70-6

Main symptoms

cough, headache, dizziness, drowsiness, nausea.

Target Organ Systemic Toxicant - Single exposure

Based on available data, the classification criteria are not met for:

STOT SE

Target Organ Systemic Toxicant - Repeated exposure

Based on available data, the classification criteria are not met for:

STOT RE

Aspiration toxicity

no data available

11.2. Information on other hazards

Endocrine disrupting properties

The substance has not been identified as having endocrine disrupting properties in accordance with section 2.3.

Heptan-1-ol, CAS: 111-70-6

Other adverse effects

Components of the product may be absorbed into the body by inhalation and ingestion.

Note

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:

http://echa.europa.eu/information-on-chemicals/registered-substances.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity						
Heptan-1-ol (111-70-6)						
Species	Exposure time	Dose	Method			
Oryzias latipes (Medaka)	96h	LC50: 17,6 mg/l	OECD 203			
Daphnia magna (Water flea)	48h	EC50: 55,5 mg/l	OECD 202			
Scenedesmus quadricauda	7 d	TTC: 17 mg/l				
(Green algae)						
Pseudokirchneriella subcapitata	72h	EC50: 32,7 mg/l	OECD 201 Growth rate			
Activated sludge (bacteriae)	3 h	NOEC: 100 mg/l	OECD 209			

Long term toxicity				
Heptan-1-ol (111-70-6)				
Туре	Species	Dose	Method	
Aquatic toxicity	Daphnia magna	NOEC: 1,37 mg/l	OECD 211	
	(Water flea)	(21d)		
Aquatic toxicity	Pseudokirchneriella	NOEC: 10,4 mg/l	OECD 201 Growth	
	subcapitata	(3d)	rate	

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

Version / Revision 5.01

Sediment toxicity				
Heptan-1-ol (111-70-6)				
Species	Exposure time	Dose	Туре	Method
Chironomus thummi	2 d	EC50: 80 mg/l	Mortality	

Terrestrial toxicity				
Heptan-1-ol (111-70-6)				
Species	Exposure time	Dose	Туре	Method
Drosophila melanogaster	3 d	LC50: < 0,42 mg/kg soil dw	Mortality	read across

12.2. Persistence and degradability

Heptan-1-ol, CAS: 111-70-6

Biodegradation

84 % (28 d), activated sludge, non-adapted, aerobic, OECD 301 F.

Abiotic Degradation		
Heptan-1-ol (111-70-6)		
Туре	Result	Method
Hydrolysis	stable under test conditions	OECD 111
Photolysis	No data available	

12.3. Bioaccumulative potential

Heptan-1-ol (111-70-6)		
Туре	Result	Method
log Pow	2,2	measured, OECD 117
log BCF	No potential for bioaccumulation	

12.4. Mobility in soil

Heptan-1-ol (111-70-6)		
Туре	Result	Method
Surface tension	no data available 41 mN/m (4' @ 20°C (68°F))	12 g/IOECD 115
Adsorption/Desorption	log Koc: 1,66 @ 22 °C	OECD 121
Distribution to environmental compartments	no data available	

12.5. Results of PBT and vPvB assessment

Heptan-1-ol, CAS: 111-70-6 PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

12.6. Endocrine disrupting properties

The substance has not been identified as having endocrine disrupting properties in accordance with section 2.3.

11 / 14

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

Version / Revision

5.01

12.7. Other adverse effects

Heptan-1-ol, CAS: 111-70-6

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product Information

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

Hazardous waste according to European Waste Catalogue (EWC)

Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

SECTION 14: Transport information

Section 14.1 - 14.6

ADR/RID Not restricted

ADN Container
Not restricted

ADN ADN Tanker

14.1. UN number or ID number ID 9003

14.2. UN proper shipping name Substances with a flashpoint between 60 °C and not

more than 100 °C (n-Heptanol)

14.3. Transport hazard class(es)

Subsidiary Rick
N3. 5

Subsidiary Risk N3, F **14.4. Packing group**

14.5. Environmental hazards

14.6. Special precautions for user no data available

ICAO-TI / IATA-DGR Not restricted

IMDG Not restricted

14.7. Maritime transport in bulk according

to IMO instruments

Product name Heptanol

Ship type 3
Pollution category Y

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

Version / Revision

5.01

Hazard class

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

S/P

Regulation 1272/2008, Annex VI

not listed

DI 2012/18/EU (Seveso III)

not subject Category

DI 1999/13/EC (VOC Guideline)

Component	Status
Heptan-1-ol	regulated
CAS: 111-70-6	

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758

Component	Status
Heptan-1-ol	The substance will not be pre-registered
CAS: 111-70-6	, , ,

For details and further information please refer to the original regulation.

International Inventories

Heptan-1-ol, CAS: 111-70-6

AICS (AU) DSL (CA)

IECSC (CN)

EC-No. 2038979 (EU)

ENCS (2)-217 (JP)

ISHL (2)-217 (JP)

KECI KE-18302 (KR)

INSQ (MX)

PICCS (PH)

TSCA (US)

NZIoC (NZ)

TCSI (TW)

National regulatory information Great Britain

Releases to air (Pollution Inventory Substances)

not subject

Releases to water (Pollution Inventory Substances)

not subject

Releases to sewer (Pollution Inventory Substances)

not subject

For details and further information please refer to the original regulation

13 / 14

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



n-Heptanol 10900

Version / Revision

5.01

15.2. Chemical safety assessment

The Chemical Safety Report (CSR) is not required.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H319: Causes serious eye irritation.

Abbreviations

A table of terms and abbreviations can be found under the following link: http://echa.europa.eu/documents/10162/13632/information_requirements_r20_en.pdf

Training advice

For effective first-aid, special training / education is needed.

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

Further information for the safety data sheet

Changes against the previous version are marked by ***. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage (www.chemicals.og.com).

The annex is not required because the substance is registered as an intermediate under REACh

Disclaimer

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ Chemicals makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

End of Safety Data Sheet