

n-Propyl acetate

10580

Version / Revision3.01Revision Date04-Dec-2020Supersedes Version3.00***Issuing date04-Dec-2020

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier

Identification of the substance/preparation

n-Propyl acetate

Chemical NamePropyl acetateCAS-No109-60-4EC No.203-686-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance /

Preparation

solvent.

Uses advised against None

1.3. Details of the supplier of the safety data sheet

Company/Undertaking

Identification

OQ Chemicals GmbH Rheinpromenade 4A D-40789 Monheim

Germany

OQ Chemicals Corporation

15375 Memorial Drive West Memorial Place I

Suite 300

Houston, TX 77079

USA***

Product Information Product Stewardship

FAX: +49 (0)208 693 2053 email: sc.psq@oq.com

1.4. Emergency telephone number

Emergency telephone number +44 (0) 1235 239 670 (UK) available 24/7

NCEC +1 202 464 2554

Local emergency telephone

number

+61 2 8014 4558 (Australia)

18000 74234 (Australia toll-free number)

+64 9 929 1483 (New Zealand)

0800 446 881 (New Zealand toll-free number)

+65 3158 1195 (Sri Lanka)

007 803 011 0293 (Indonesia toll-free number)

+60 3 6207 4347 (Malaysia)

001 800 120 666 751 (Thailand toll-free number)

+65 3158 1200 (Bangladesh) +63 2 8231 2149 (Philippines)



n-Propyl acetate 10580

Version / Revision

3.01

+84 28 4458 2388 (Vietnam) +65 3165 2217 (Singapore) available 24/7

SECTION 2: Hazards identification

Europe

2.1. Classification of the substance or mixture

This substance is classified based on Directive 1272/2008/EC and its amendments (CLP Regulation)

Flammable liquid Category 2, H225 Serious eye damage/eye irritation Category 2, H319 Target Organ Systemic Toxicant - Single exposure Category 3, H336

Additional information

For full text of Hazard- and EU Hazard-statements see SECTION 16.

2.2. Label elements

Labelling according to Regulation 1272/2008/EC and its amendments (CLP Regulation).

Hazard pictograms



Signai word	Danger
-------------	--------

Hazard statementsH225: Highly flammable liquid and vapour.
H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Precautionary statements P210: Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking. P233: Keep container tightly closed.

P261: Avoid breathing gas/mist/vapours.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water or shower.

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTRE/doctor if you feel unwell. P403 + P235: Store in a well ventilated place. Keep cool.

Supplemental Hazard Information (EU)

EUH 066: Repeated exposure may cause skin dryness or cracking.



n-Propyl acetate 10580

Version / Revision

3.01

2.3. Other hazards

Vapours may form explosive mixture with air

Vapour is heavier than air and can travel considerable distance to a source of ignition and flashback Components of the product may be absorbed into the body by inhalation and ingestion

PBT and vPvB assessment This substance is not considered to be persistent, bioaccumulating nor toxic

(PBT), nor very persistent nor very bioaccumulating (vPvB)

USA

2.1. Classification of the substance or mixture

This substance is classified in accordance with paragraph (d) of §1910.1200 (GHS-US classification).

Serious eye damage/eye irritation Category 2B, H320

Target Organ Systemic Toxicant - Single exposure Category 3, H336

Flammable liquid Category 2, H225

Environmental hazard Aquatic Acute 3; H402

OSHA Specified Hazards Not applicable.

2.2. Label elements

Labeling according to §1910.1200 (GHS-US labeling).

Hazard symbol(s)



Signal word Danger

Hazard statements H225: Highly flammable liquid and vapor.

H320: Causes eye irritation

H336: May cause drowsiness or dizziness.

H402: Harmful to aquatic life

Precautionary statements

Prevention P210: Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P233: Keep container tightly closed.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical/ ventilating/ lighting equipment.

P242: Use non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing gas/mist/vapours. P264: Wash hands thoroughly after handling.



n-Propyl acetate

10580 Version / Revision 3.01

P271: Use only outdoors or in a well ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/eye protection/face protection.***

Response P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water or shower.

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTRE/doctor if you feel unwell.

Storage P403 + P235: Store in a well ventilated place. Keep cool.

P405: Store locked up.

Disposal P501: Dispose of contents/container in accordance with local regulation.

2.3. Other hazards

Vapour is heavier than air and can travel considerable distance to a source of ignition and flashback Vapours may form explosive mixture with air

Components of the product may be absorbed into the body by inhalation and ingestion

Repeated exposure may cause skin dryness or cracking

SECTION 3: Composition / information on ingredients

3.1. Substances

Component	CAS-No	REACh-No	1272/2008/EC	Concentration (%)
Propyl acetate	109-60-4		Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EU H066	> 99,5

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

Eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

Skin

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

Ingestion

Call a physician immediately. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed



n-Propyl acetate 10580

Version / Revision

3.01

Main symptoms

dizziness, drowsiness, cough, unconsciousness.

Special hazard

central nervous system effects, Prolonged skin contact may defat the skin and produce dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed

General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

foam, dry chemical, carbon dioxide (CO2), water spray

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of: carbon monoxide (CO)

carbon dioxide (CO2)

Combustion gases of organic materials must in principle be graded as inhalation poisons Vapour is heavier than air and can travel considerable distance to a source of ignition and flashback Vapours may form explosive mixture with air

5.3. Advice for firefighters

Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

Precautions for firefighting

Cool containers / tanks with water spray. Dike and collect water used to fight fire. Keep people away from and upwind of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition. For emergency responders: Personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment



n-Propyl acetate 10580

Version / Revision

3.01

(biological treatment plant).

6.3. Methods and material for containment and cleaning up

Methods for containment

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

Methods for cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Dispose of in accordance with local regulations. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

6.4. Reference to other sections

For personal protective equipment see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/or exhaust in work rooms. Do not use compressed air for filling, discharging or handling.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Advice on the protection of the environment

See Section 8: Environmental exposure controls.

Incompatible products

oxidizing agents bases amines

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material. Vapour is heavier than air and can travel considerable distance to a source of ignition and flashback. Vapours may form explosive mixture with air.

Technical measures/Storage conditions

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care.

Suitable material

stainless steel, mild steel

Unsuitable material

Attacks some forms of plastic and rubber

Temperature class



n-Propyl acetate 10580

Version / Revision

3.01

T2

7.3. Specific end use(s)

Formulation
Distribution of substance
coatings
cleaning agent
Lubricants and lubricant additives
Metal working fluids / rolling oils
laboratory chemicals

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Exposure limits European Union

No exposure limits established

Exposure limits Germany

MAK-values from the DFG

Component	MAK (ppm)	MAK (mg/m³)	listed w/o limits	Ceiling limit value
Propyl acetate CAS: 109-60-4	100	420		(2) I
Component	H;S	carcinogenic category	pregnancy group	mutagenicity category
Propyl acetate CAS: 109-60-4			D	

Note

For details and further information please refer to the original regulation.

Exposure limits United States of America

US ACGIH

00 A00III				
Component	TWA (mg/m³)	TWA (ppm)	STEL (mg/m³)	STEL (ppm)
Propyl acetate CAS: 109-60-4		100 ***		150***

US OSHA Z-1

Component	Ceiling (mg/m³)	Ceiling (ppm)	PEL (mg/m³)	PEL (ppm)	Skin Designation
Propyl acetate			840	200	
CAS: 109-60-4					

Note

For details and further information please refer to the original regulation.

8.2. Exposure controls



3.01

n-Propyl acetate 10580

Version / Revision

Appropriate Engineering controls

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

Personal protective equipment

General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Eye protection

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

Hand protection

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

Suitable material butyl-rubber

Evaluation according to EN 374: level 4

Glove thickness approx 0,3 mm approx 120 min

Suitable material polyvinylchloride / nitrile rubber according to EN 374: level 1

Glove thickness approx 0,9 mm Break through time approx 15 min

Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

Respiratory protection

Respirator with filter for organic vapour. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Equipment should conform to NIOSH, EN or other applicable national standards.

Environmental exposure controls

If possible use in closed systems. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearanceliquidColourcolourlessOdourfruity

Odour threshold No data available



n-Propyl acetate

10580 Version / Revision 3.01

pH No data available

Melting point/range < -90 °C

Boiling point/range 102 °C @ 1013 hPa

Flash point 12 °C Method EU A.9***

Evaporation rate No data available

Flammability (solid, gas) Does not apply, the substance is a liquid

Lower explosion limit 2 Vol % Upper explosion limit 8 Vol %

Vapour pressure

Values [hPa] Values [kPa] Values [atm] @ °C @ °F Method

34 3,4 0,034 20 68 151,5*** 15,2 0,150 50 122 **Vapour density** 3,5 (Air = 1) @ 20 °C (68 °F)

Relative density

Values @ °C @ °F Method 0,888 20 68 DIN 51757

Solubility 18,7 g/l @ 20 °C, in water

log Pow 1,4 @ 25 °C (77 °F), OECD 117***

Autoignition temperature 380 °C @ 1013 hPa***

Method DIN 51794

Decomposition temperature Viscosity 0,58 mPa*s @ 20 °C

Method DIN 51794

No data available 0,58 mPa*s @ 20 °C

ASTM D445, dynamic***

Oxidizing properties Does not apply, substance is not oxidising. There are no chemical groups

associated with oxidizing properties

Explosive propertiesDoes not apply, substance is not explosive. There are no chemical groups

associated with explosive properties

9.2. Other information

Molecular weight102,13Molecular formulaC5 H10 O2log Koc1008 calculated***Refractive index1,384 @ 20 °C

Surface tension 67,5 mN/m @ 20,1 °C (68,2 °F) @ 1000 mg/l, OECD 115***

SECTION 10: Stability and Reactivity

10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Vapours may form explosive mixture with air.



n-Propyl acetate 10580

Version / Revision

3.01

10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

10.5. Incompatible materials

oxidizing agents, amines, bases.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure Ingestion, Inhalation, Eye contact, Skin contact

Acute toxicity				
Propyl acetate (109-60-4)				
Routes of Exposure	Endpoint	Values	Species	Method
Oral	LD50	~ 8700 mg/kg	rat, male	
Dermal	LD50	> 17800 mg/kg	rabbit male***	
Inhalative	LC50	~ 32 mg/l (4h)	rat	(vapour)***

Propyl acetate, CAS: 109-60-4

Assessment

Based on available data, the classification criteria are not met for:

Acute oral toxicity
Acute dermal toxicity
Acute inhalation toxicity

Irritation and corrosion					
Propyl acetate (109-60	-4)				
Target Organ Effects	Species	Result	Method		
Skin	rabbit	No skin irritation		in vivo***	
Eyes	rabbit	irritating		in vivo***	

Propyl acetate, CAS: 109-60-4

Assessment

The available data lead to the classification given in section 2

Sensitization				
Propyl acetate (109-60-4)				
Target Organ Effects	Species	Evaluation	Method	
Skin	guinea pig	not sensitizing	Maximisation Test	read across

Propyl acetate, CAS: 109-60-4

Assessment

Based on available data, the classification criteria are not met for:

Skin sensitization

For respiratory sensitization, no data are available



n-Propyl acetate 10580

Version / Revision

3.01

Subacute, subchronic Propyl acetate (109-60-				
Type	Dose	Species	Method	
Subchronic toxicity	NOAEL: 2,35 mg/l	rat, male/female	EPA OTS 798.2450	Inhalation read across***
Subchronic toxicity***	NOAEC: >= 6,48 mg/l (90d) systemic effects***	rat, male/female***	OECD 413***	Inhalation***
Subchronic toxicity***	NOAEC: 0,63 mg/l (90d) Local effects**	rat, male/female***	OECD 413***	Inhalation***
Subchronic toxicity***	LOAEC: 2,14 mg/l (90 d) Local effects***	rat, male/female***	OECD 413***	Inhalation***

Propyl acetate, CAS: 109-60-4

Assessment

Based on available data, the classification criteria are not met for:

STOT RE

Carcinogenicity, Muta	genicity, Reprod	uctive toxicity			
Propyl acetate (109-60)-4)				
Туре	Dose	Species	Evaluation	Method	
Mutagenicity		Salmonella	negative	OECD 471	In vitro study
		typhimurium		(Ames)	
Mutagenicity		CHO (Chinese	negative	OECD 476	
		Hamster Ovary)		(Mammalian	
		cells		Gene Mutation)	
Mutagenicity		V79 cells,	negative	Chromosomal	read across
		Chinese hamster		Aberration	
Reproductive toxicity	LOAEC: 750 ppm	rat, parental		OECD 416	read across
		male/female***		Inhalation***	Local effects***
Developmental Toxicity		rat	Maternal toxicity	Inhalation	read across
	mg/l				
Developmental Toxicity			Teratogenicity	Inhalation	read across
Developmental Toxicity			Maternal toxicity	Inhalation	read across
Developmental Toxicity	NOAEL 7,05 mg/l	rabbit	Teratogenicity	Inhalation	read across
Mutagenicity***		human	negative***	OECD 487	In vitro study***
		lymphoblastoid		micronucleus	
		cells (TK6)***		test***	
Reproductive toxicity***		rat, parental		OECD 416	Developmental
	ppm***	male/female***		Inhalation***	toxicity read
					across***
Reproductive toxicity***		rat, parental		OECD 416	Fertility read
	ppm***	male/female***		Inhalation***	across***
Reproductive toxicity***		rat, 1.		OECD 416	read across***
	ppm***	Generation,		Inhalation***	
		male/female rat			
		2. Generation,			
	NO.451 4000	male/female***		0505 444	
Developmental	NOAEL 1000	rat rabbit***		OECD 414,	Maternal toxicity
Toxicity***	mg/kg/d***			Oral***	Developmental
					toxicity,
				J.	Teratogenicity***



n-Propyl acetate 10580

Version / Revision

3.01

Propyl acetate, CAS: 109-60-4

CMR Classification

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

Evaluation

In vitro tests did not show mutagenic effects

Propyl acetate, CAS: 109-60-4

Main symptoms

dizziness, drowsiness, cough, unconsciousness.

Target Organ Systemic Toxicant - Single exposure

The available data lead to the classification given in section 2

Target Organ Systemic Toxicant - Repeated exposure

Based on available data, the classification criteria are not met for:

STOT RE

Other adverse effects

Components of the product may be absorbed into the body by inhalation and ingestion. Dries out the skin.

Note

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:

http://echa.europa.eu/information-on-chemicals/registered-substances.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity						
Propyl acetate (109-60-4)						
Species	Exposure time	Dose	Method			
Pimephales promelas (fathead	96h	LC50: 60 mg/l				
minnow)		_				
Daphnia magna (Water flea)	48h	EC50: 91,5 mg/l	OECD 202			
Pseudokirchneriella subcapitata	72h	EC50: 672 mg/l (Growth	OECD 201			
•		rate)				
Pseudomonas putida	16 h	TTC: 170 mg/l	DIN 38412, part 8			

Long term toxicity				
Propyl acetate (109-60-4)				
Туре	Species	Dose	Method	
Aquatic toxicity***	Pseudokirchneriella	NOEC: 83,2 mg/l	OECD 201***	
-	subcapitata***	(3d)***		

12.2. Persistence and degradability

Propyl acetate, CAS: 109-60-4

Biodegradation

62 % (5 d), Sewage, domestic, non-adapted, aerobic, OECD 301 D.

Abiotic Degradation				
Propyl acetate (109-60-4)				
Туре	Result	Method		
Hydrolysis***	not expected***			



n-Propyl acetate 10580

Version / Revision

3.01

Photolysis***	Half-life (DT50): 3,2 days***	SRC AOP v1.92***

12.3. Bioaccumulative potential

Propyl acetate (109-60-4)		
Туре	Result	Method
log Pow	1,4 @ 25 °C (77 °F)***	measured, OECD 117
BCF***	not expected***	

12.4. Mobility in soil

Propyl acetate (109-60-4)			
Туре	Result	Method	
Surface tension***	no data available 67,5 mN/m @ 20,1 °C (68,2 °F) @ 1000 mg/l***	OECD 115***	
Adsorption/Desorption***	Koc: 10,17***	calculated SRC PCKOCWIN v2.00***	
Distribution to environmental compartments***	no data available***		

12.5. Results of PBT and vPvB assessment

Propyl acetate, CAS: 109-60-4
PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

12.6. Other adverse effects

Propyl acetate, CAS: 109-60-4

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product Information

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

Hazardous waste according to European Waste Catalogue (EWC)

Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

SECTION 14: Transport information



n-Propyl acetate 10580

Version / Revision 3.01

ICAO-TI / IATA-DGR

14.1. UN number UN 1276

14.2. UN proper shipping name n-Propyl acetate

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user no data available

IMDG

14.1. UN number 14.2. UN proper shipping nameUN 1276
Propyl acetate

14.3. Transport hazard class(es) 3
14.4. Packing group II
14.5. Environmental hazards

14.6. Special precautions for user

EmS F-E, S-D

14.7. Transport in bulk according to Annex

II of MARPOL and the IBC Code

Product name n-Propyl acetate

Ship type 3
Pollution category Y

ADR/RID

14.1. UN number UN 1276

14.2. UN proper shipping name n-Propyl acetate

14.3. Transport hazard class(es) 3
14.4. Packing group II
14.5. Environmental hazards

14.6. Special precautions for user

ADR Tunnel restriction code (D/E)
Classification Code F1
Hazard Number 33

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation 1272/2008, Annex VI

Propyl acetate, CAS: 109-60-4

Classification Flam. Liq. 2; H225

Eye Irrit. 2; H319 STOT SE 3; H336



n-Propyl acetate

10580 Version / Revision 3.01

Hazard pictograms GHS02 Flame

GHS07 Exclamation mark

Signal word Danger
Hazard statements H225
H319
H336

EUH066

DI 2012/18/EU (Seveso III)

Category Annex I, part 1:

P5a - c; depending on conditions

DI 1999/13/EC (VOC Guideline)

Component	Status
Propyl acetate	regulated
CAS: 109-60-4	

International Inventories

Propyl acetate, CAS: 109-60-4

AICS (AU)
DSL (CA)
IECSC (CN)
EC-No. 2036861 (EU)
ENCS (2)-727 (JP)
ISHL (2)-727 (JP)
KECI KE-29778 (KR)
INSQ (MX)
PICCS (PH)

PICCS (PH) TSCA (US) NZIoC (NZ) TCSI (TW)

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

EUH 066: Repeated exposure may cause skin dryness or cracking.

Abbreviations

A table of terms and abbreviations can be found under the following link:

http://echa.europa.eu/documents/10162/13632/information requirements r20 en.pdf

Training advice

For effective first-aid, special training / education is needed.

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.



n-Propyl acetate 10580

Version / Revision

3.01

Further information for the safety data sheet

Changes against the previous version are marked by ***. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage (www.chemicals.oq.com).

Disclaimer

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

End of Safety Data Sheet