

OXSOFT GPO

11430

Version / Revision 5 **Revision Date** 07-May-2020 **Supersedes Version** 4.01 Issuing date 15-May-2020

SECTION 1: Identification

1.1. Product identifier

Identification of the **OXSOFT GPO** substance/preparation

Chemical Name Bis(2-ethylhexyl)-1,4-benzenedicarboxylate

CAS-No 6422-86-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance /

plasticizer

Preparation

Uses advised against

None

1.3. Details of the supplier of the safety data sheet

Supplier OQ Chemicals Corporation

> 15375 Memorial Drive West Memorial Place I

Suite 300

Houston, TX 77079

USA

Phone +1 346 378 7300

Product Information Product Stewardship

> FAX: +49 (0)208 693 2053 email: sc.psq@oq.com

1.4. Emergency telephone number

Emergency telephone number NCEC +1 202 464 2554

available 24/7

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This substance is not hazardous in accordance with paragraph (d) of §1910.1200 (GHS-US classification).

OSHA Specified Hazards Not applicable.

2.2. Label elements



OXSOFT GPO 11430

Version / Revision

Not required according to §1910.1200 (GHS-US labeling).

2.3. Other hazards

None known

SECTION 3: Composition / information on ingredients

3.1. Substances

Component	CAS-No	Concentration (%)
Bis(2-ethylhexyl)-1,4- benzenedicarboxylate	6422-86-2	> 96,0

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

Eves

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

Call a physician immediately. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Main symptoms

None known.

Special hazard

None known.

4.3. Indication of any immediate medical attention and special treatment needed

General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically.



OXSOFT GPO 11430

Version / Revision

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

foam, dry chemical, carbon dioxide (CO2), water spray

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of: carbon monoxide (CO)

carbon dioxide (CO2)

Combustion gases of organic materials must in principle be graded as inhalation poisons Vapours are heavier than air and may spread along floors

5.3. Advice for firefighters

Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

Precautions for firefighting

Cool containers / tanks with water spray. Dike and collect water used to fight fire. Keep people away from and upwind of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition. For emergency responders: Personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant).

6.3. Methods and material for containment and cleaning up

Methods for containment

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

Methods for cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. If liquid has been spilt in large



OXSOFT GPO 11430

Version / Revision

quantities clean up promptly by scoop or vacuum. Dispose of in accordance with local regulations. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

6.4. Reference to other sections

For personal protective equipment see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/or exhaust in work rooms.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Advice on the protection of the environment

See Section 8: Environmental exposure controls.

Incompatible products

strong acids

strong oxidizing agents

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material.

Technical measures/Storage conditions

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Exposure limits United States of America

No exposure limits established regarding ACGIH, OSHA Z-1 and OSHA Z-2.

8.2. Exposure controls

Appropriate Engineering controls

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local



OXSOFT GPO 11430

Version / Revision

ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

Individual protection measures, such as personal protective equipment

General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Eye protection

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

Hand protection

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

Suitable material nitrile rubber

according to EN 374: level 6 **Evaluation**

Glove thickness approx 0.55 mm

Break through time > 480 min

Suitable material polyvinylchloride / nitrile rubber **Evaluation** according to EN 374: level 6

Glove thickness approx 0,9 mm > 480 min Break through time

Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

Respiratory protection

Respirator with filter for organic vapour. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Equipment should conform to NIOSH.

Environmental exposure controls

If possible use in closed systems. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger, Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

liquid **Appearance**



OXSOFT GPO

11430 Version / Revision 5

ColourcolourlessOdourslight

Odour threshold No data available PH No data available

Melting point/range < -89 °F (< -67,2 °C) @ 1013 hPa

Method EU A.1

Boiling point/range 707 °F (375 °C) @ 1 atm (101,3 kPa)

Method EU A.2

Flash point 413,6 °F (212 °C) @ 1 atm (101,3 kPa)

MethodASTM 3278Evaporation rateNo data available

Flammability (solid, gas) Does not apply, the substance is a liquid

Lower explosion limit
Upper explosion limit
No data available
No data available

Vapour pressure

 Values [hPa]
 Values [kPa]
 Values [atm]
 @ °C
 @ °F
 Method

 < 0,001</td>
 < 0,0001</td>
 < 0,0001</td>
 25
 77
 EU A.4

Vapour density 13,5 (Air = 1) @ 20 °C (68 °F)

Relative density

Values @ °C @ °F Method 0,983 20 68 EU A.3 **Solubility** 0,4 μg/l @ 72,5 °F (22,5 °C), in water

log Pow5,72 (calculated) OECD 107Autoignition temperature728,6 °F (387 °C) @ 980 hPa

Method EU A.15

Decomposition temperature No data available

Viscosity 65,8 mPa*s @ 77 °F (25 °C)

Method dynamic, OECD 114

9.2. Other information

Molecular weight390,56Molecular formulaC24 H38 O4

Oxidizing properties Does not apply, substance is not oxidising. There are no chemical groups

associated with oxidizing properties

Conductivity 0,0029 μ S/m @ 68 °F (20 °C)

Refractive Index 1,487 @ 68 °F (20 °C)

Explosive propertiesDoes not apply, substance is not explosive. There are no chemical groups

associated with explosive properties

Surface tension 32,7 mN/m @ 22 °C (71,6 °F), EU A.5

SECTION 10: Stability and Reactivity

10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

Emergency telephone number 6 / 12



OXSOFT GPO 11430

Version / Revision

5

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

10.5. Incompatible materials

strong acids, strong oxidizing agents.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure Ingestion, Eye contact, Skin contact

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

Target Organ Systemic Toxicant - Single exposure

Based on available data, the classification criteria are not met for:

STOT SE

Target Organ Systemic Toxicant - Repeated exposure

Based on available data, the classification criteria are not met for:

STOT RE

Acute toxicity					
Bis(2-ethylhexyl)-1,4- benzenedicarboxylate (6422-86-2)					
Routes of Exposure	Endpoint	Values	Species	Method	
Oral	LD50	> 5000 mg/kg	rat		
Dermal	LD50	> 19670 mg/kg	guinea pig		

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

Assessment

Based on available data, the classification criteria are not met for:

Acute oral toxicity

Acute dermal toxicity

For acute inhalation toxicity, no data are available

Irritation and corrosion



OXSOFT GPO 11430

Version / Revision

		 		 	(2.122.22.2)

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate (6422-86-2)				
Target Organ Effects	Species	Result	Method	
Skin	guinea pig	Mild skin irritation		
Eyes	rabbit	Mild eye irritation		

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

Assessment

Based on available data, the classification criteria are not met for: skin irritation/corrosion eye irritation/corrosion

Sensitization				
Bis(2-ethylhexyl)-1,4- benzenedicarboxylate (6422-86-2)				
Target Organ Effects	Species	Evaluation	Method	
Skin	guinea pig	not sensitizing		

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2 Assessment

Based on available data, the classification criteria are not met for:

Skin sensitization

For respiratory sensitization, no data are available

Subacute, subchronic and prolonged toxicity				
Bis(2-ethylhexyl)-1,4- I	benzenedicarboxylate (64	22-86-2)		
Туре	Dose	Species	Method	
Subacute toxicity	NOAEL: 885 mg/kg/d (28d)	rat, male/female	Oral	
Subacute toxicity	NOAEC: 46,3 mg/m ³ (10 d)	rat, male/female	Inhalation	
Subchronic toxicity	NOAEL: 277 - 309 mg/kg/d (90d)	rat	Oral	
Chronic toxicity	NOAEL: 79 - 102 mg/kg/d (104 weeks)	rat	Oral	

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2 **Assessment**

Based on available data, the classification criteria are not met for: STOT RE

Carcinogenicity, Mutagenicity, Reproductive toxicity					
Bis(2-ethylhexyl)-1,4- benzenedicarboxylate (6422-86-2)					
Туре	Dose	Species	Evaluation	Method	
Mutagenicity		Bacteria	negative	OECD 471 (Ames)	
Mutagenicity		Mammalian cells	negative	OECD 473 (Chromosomal Aberration)	
Mutagenicity		Mammalian cells	negative	OECD 476	



OXSOFT GPO 11430

Version / Revision

			(Mammalian Gene Mutation)	
Developmental Toxicity	NOAEL 747 mg/kg/d	rat	•	Developmental toxicity
Developmental Toxicity	NOAEL 458 mg/kg/d	rat	OECD 414, Oral	Maternal toxicity
Reproductive toxicity	NOAEL 500 - 1000 mg/kg/d	rat	OECD 416	Oral

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

CMR Classification

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

Evaluation

In vitro tests did not show mutagenic effects

Did not show reprotoxic effects in animal experiments

In the absence of specific alerts no cancer testing is required

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

Aspiration toxicity

Due to the viscosity, this product does not present an aspiration hazard

Note

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:

http://echa.europa.eu/information-on-chemicals/registered-substances.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity					
Bis(2-ethylhexyl)-1,4- benzenedicarboxylate (6422-86-2)					
Species	Exposure time	Dose	Method		
Daphnia magna (Water flea)	48h	NOEC: >= 0,0014 mg/l			
Daphnia magna (Water flea)	48h	EC50: > 0,0014 mg/l			
Pimephales promelas (fathead minnow)	96h	LC50: > 984 mg/l			
Algae	72h	NOEC: >= 0,86 mg/l	Growth inhibition		

12.2. Persistence and degradability

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

Biodegradation

40,2 % (28 d).

12.3. Bioaccumulative potential



OXSOFT GPO 11430

Version / Revision

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate (6422-86-2)			
Туре	Result	Method	
log Pow	5,72	calculated, OECD 107	

12.4. Mobility in soil

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate (6422-86-2)			
Туре	Result	Method	
Surface tension	32,7 mN/m @ 22 °C (71,6 °F)	EU A.5	

12.5. Results of PBT and vPvB assessment

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

12.6. Other adverse effects

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

No data available

Note

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product Information

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for

SECTION 14: Transport information

Section 14.1 - 14.6

D.O.T. (49CFR)

Not restricted



OXSOFT GPO 11430

Version / Revision

5

ICAO-TI / IATA-DGR

Not restricted

IMDG Not restricted

14.7. Transport in bulk according to Annex II not applicable of MARPOL and the IBC Code

SECTION 15: Regulatory information

Federal and State Regulations

Components of the product are listed in the quoted regulations. For details please refer to the regulations directly. This list is not exhaustive, please check for other applicable regulations.

Federal Regulations

This product is listed on the TSCA inventory

International Inventories

Bis(2-ethylhexyl)-1,4- benzenedicarboxylate, CAS: 6422-86-2

ÀICS (AU)

DSL (CA)

IECSC (CN)

EC-No. 2291769 (EU)

ENCS (3)-4053 (JP)

ISHL 4-(7)-1490 (JP)

KECI KE-02197 (KR)

PICCS (PH)

TSCA (US)

NZIoC-NZ May be used as single component chemical

TCSI (TW)

SECTION 16: Other information

Revision Date 07-May-2020 **Issuing date** 15-May-2020

Hazard Rating Systems

NFPA (National Fire Protection Association)

Health Hazard 1
Fire Hazard 1

Emergency telephone number 11 / 12

NCEC +1 202 464 2554 USA (A-US)



OXSOFT GPO 11430

Version / Revision

Reactivity 0

HMIS (Hazardous Material Information System)

Health Hazard 1
Flammability 1
Physical Hazard 0

Training advice

For effective first-aid, special training / education is needed.

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

Further information for the safety data sheet

Changes against the previous version are marked by ***. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage (www.chemicals.og.com).

The use of a comma in section 3 and section 7 to 12 is the same as a period.

Disclaimer

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

End of Safety Data Sheet

Emergency telephone number 12 / 12

NCEC +1 202 464 2554 USA (A-US)